

## INDEX

### A

a/c (aircraft), 72, 150  
 abbreviations, 23–25, 37–38, 145  
 abeam the runway, 121, 193  
 abort (v), 41  
 Above Mean Sea Level (AMSL), 38, 92  
 AC bus, 177, 187  
 AC Essential feed, 191, 192  
 access platform, 54  
 accretion rate, 103  
 acknowledge (v), 34–35, 56–57, 184  
 adverbs, 36–37, 41, 114  
 advice, 154, 162–63, 180  
 affirm, 124  
 air conditioning pack, 106, 176  
 air intake, 29, 39, 42, 78, 92, 103  
 Air Safety Report (ASR), 212  
 Air Start Unit (ASU), 54  
 airborne, 97  
 airport layout, 31–34, 41–42, 70  
 AIRPROX, 23, 111, 115, 118, 173  
 airstairs, 54, 57  
 alphanumeric information, 35–36  
 alternate (n), 15, 139, 141  
 altitude restriction, 160  
 amber transit lights, 212  
 ambient lighting, 199  
**American and British English**, 25–26, 44  
 angle of attack, 78, 99, 135, 145, 176, 177, 180, 182  
 angled exit / turn-off, 73  
 announcing what has happened, 201–2  
 anomaly, 57–58, 213, 214  
 anti-ice / anti-icing, 78, 99, 103  
 APCH (approach), 24, 133, 166  
 Approach and Landing Accident Reduction (ALAR), 18, 23, 70, 71, 197, 210–12  
 approach control frequency, 101  
 apron, 18, 32, 33, 39, 53  
 aquaplaning, 88, 107, 108  
 arc, 168, 193  
 Area Control Centre (ACC), 24, 38, 133, 137, 169  
 arrival chart, 156  
 asymmetry, 176, 177  
 ATC transponder, 17, 35, 38, 96, 103, 104, 117, 145, 176, 198  
 attitude, 173–74  
 audio warning, 205  
 auto-flight system, 193  
 autobrake, 158  
 autoland, 18  
 Automatic Direction Finder (ADF), 127, 145, 212  
 Automatic Flight Information Service (AFIS), 38  
 Automatic Terminal Information Service (ATIS), 18, 20, 23, 38, 70, 77, 88, 92, 94–95  
 autopilot (AP), 16, 101, 181  
 autothrottle, 101  
 autothrust, 178, 181  
 Auxiliary Power Unit (APU), 40, 55, 105, 178, 181  
 avoidance, 97, 98, 129, 198–200

### B

back course, 206  
 backtrack (v), 20, 44  
 baggage cart, 54  
 bank (n), 103  
 base leg, 212  
 base turn, 207  
 bearing, 141  
 best practice, 7, 47, 66, 67, 71  
 bird strike, 57, 90, 108, 131–35, 176, 185  
 black hole effect, 168

blast fence, 32  
 bleed air, 105  
 blind spot, 27, 153  
 blow-out (n), 39  
 bogged down, 36, 39  
 bomb scare, 144, 185  
 bowser, 51, 54  
 braking action, 53, 158  
 braking coefficient, 105  
 breach (v), 126, 214–15  
 broken up, 28  
 build-up (n), 100, 103  
 bulkhead, 72, 188

### C

cabin altitude, 178, 181, 186, 189  
 cabin attendant, 54  
 cabin depressurisation, 111, 144, 146, 176, 181, 185, 193  
 calibrated airspeed (CAS), 101  
 call-out / callout, 101, 102  
 call sign / callsign, 14, 18–19, 121–23, 132, 173–74, 210  
**can and can't, pronunciation of**, 58  
 capture (v), 193  
**cause and effect**, 124, 145–46, 181  
 caution, 180  
 ceiling, 99, 147  
 centre pedestal, 187  
 challenge-response call, 71  
 chart, 24, 33, 70, 126–27, 155, 169, 170, 203  
 checklist, 78, 84, 109, 149, 205  
 chocks, 29, 48, 50, 54, 86, 158  
 circuit breaker, 72, 188  
 circuits and bumps, 200  
**clarification, asking for**, 104  
**clarification, failure to request**, 183  
**clarification, giving and requesting**, 20–23, 28, 35–37, 104, 183  
 clean speed, 27  
 clear air turbulence (CAT), 107, 108  
 clear (v), 102  
 clearance, 17, 60, 120  
 cleared, 16, 60, 126, 127  
 climb-out (n), 15, 119  
 Co-ordinated Universal Time (UTC), 37, 76, 145  
 cockpit voice recorder (CVR), 103, 104, 143  
**code switching**, 26–28  
 collapse (v), 39  
 combustion chamber, 105  
 come into conflict (v), 142  
 commander, 142  
**communication purpose, identifying**, 119–20  
**comparisons, grading**, 184  
 complacency, 173, 174, 208  
 compliance, 81  
 compound nouns, 52, 53  
 compressor, 15, 49, 105, 106, 177, 189, 190  
 concussion, 15, 42, 108, 134, 150, 185  
 conditional clearance, 67, 120  
 conditional sentences, 45, 125, 136, 162, 166  
 conditions, changing, 95  
 confirmation, giving and asking for, 35–37, 72, 190  
 conflicting traffic, 119, 174  
 confusion, 66–68, 210  
 congested, 39  
**conjunctions**, 114  
**consequences**, 180–83, 181–86, 187  
 contaminated, 39, 158, 179  
 contingency plan, 98, 208, 210  
 contradictory, 135  
 contributing factor, 66  
 control tower, 32, 169  
 control (v), 102  
 controlled airspace, 18, 97, 200

## INDEX

Controlled Flight Into Terrain (CFIT), 155, 171, 213  
 converging, 163, 202  
 conveyor belt loader, 54  
 copy (v), 109  
 correction, 14, 117  
 cowl panel, 58  
 cowling, 16  
 crabbing, 100  
 cracked, 39, 108, 179  
 Crew Resource Management (CRM), 80, 131, 166, 180, 181, 197, 205, 207–9  
 cross check (v), 116  
 crossbleed valve, 176, 190  
 crossfeed valve, 176, 181, 190  
 crosswind, 58, 204  
 cumuliform cloud, 103  
 cumulonimbus (CB), 100, 107, 108, 200  
 customer service manager, 188

**D**

damper, 190, 191  
 de-energize (v), 179  
 de-icing, 16, 32, 49, 54, 55, 103, 134  
 debris, 20, 44, 81, 105  
 decision altitude (DA), 170  
 decision height (DH), 162, 170  
 decision making, 131–51, 192–94, 213–15  
 decrab (v), 100  
 deflated, 39  
 degradation, 63  
 degraded mode, 180, 215  
 delaying action, 97  
 delivery, 130  
**description, language of**, 38–39, 90–91, 172, 204, 205–7  
 deteriorate (v), 47, 69, 141, 149  
 determine (v), 183  
 dew point / dewpoint, 16, 77  
 Digital Flight Data Recorder (FDR/DFDR), 104  
 discharge (v), 186  
 disconnect (v and n), 188  
 disengage (v), 188  
 disorientation, 90, 168, 204  
 dispatch (n), 33, 109  
 dispatcher/red cap, 29, 48, 50  
 disregard (v), 198  
 distance, language of, 168–69  
 Distance Measuring Equipment (DME), 24, 38, 127, 145, 168, 177  
 distraction, 78–79, 82–84, 111, 151, 210  
 ditching, 131–32, 133  
 diversion, 131, 135, 138–42  
 do-list, 205  
 dome light, 199  
 don (v), 105, 108, 109  
 Doppler technology, 97, 98  
 dot, 158, 189  
 downdraught / downdraft, 26, 89  
 downwind, 19, 200  
 drift correction, 204  
 drift down (n), 140  
 drifting snow, 91  
 drizzle, 90  
 due, 20, 55  
 dump (v), 23, 135, 141, 142  
 Dutch roll, 181  
 duty time, 74

**E**

Electronic Flight Instrument System (EFIS), 24, 212  
 electronic racks, 135  
 elevation, 24, 52, 112  
 emergency code, 135, 144  
 emergency descent, 111  
 emergency exit, 132

en route, 111, 115  
 en-route charts, 170  
 Engine Pressure Ratio (EPR) indication, 188  
 engine run-up area / pad, 32  
 engine stall margin, 106  
 engineering department, 82  
 Enhanced Ground Proximity Warning System (EGPWS), 212  
 enunciation, 123, 124, 125  
 environmental phenomena, 88–89, 90–92, 106–8  
 Estimated Time of Arrival (ETA), 24  
 Estimated Time of Departure (ETD), 22, 35, 37, 38  
 ETOPS, 23  
 evacuation  
 Exhaust Gas Temperature (EGT), 176, 186, 187  
 expectation, 156–60  
 expectation bias, 68, 70, 96–97, 173, 202–3  
 expedite (v), 17  
 explosive device, 186  
 extended threshold, 65  
 Extended Twin Operations (ETOPS), 23, 138–42

**F**

F/O (First Officer), 22, 49  
 far end, 69  
 fast landing, 28  
 feasibility, 146–47  
 field (airfield), 16, 74, 165  
 Final Approach Fix (FAF), 169, 207  
 final approach track, 207  
 fire emergency, 48, 54, 61–63  
 fire extinguisher, 63, 205  
 first aid, 11, 12, 13, 65, 108, 150  
 flag, 195  
 flameout / flame-out, 18, 107  
 flap asymmetry, 177  
 flaps-up landing, 27, 182  
 flare, 25, 89  
 flat tyre, 39, 40  
 Flight Control Unit (FCU), 111, 115  
 flight deck, 29, 50, 78, 123, 124, 128, 132, 134, 139, 174, 188  
 flight idle, 182, 218  
 Flight Information Region (FIR), 147  
 Flight Level (FL), 24, 100  
 Flight Management and Guidance System (FMGS), 80, 176, 178, 208  
 Flight Management System (FMS), 212  
 flight plan, 48, 96, 104, 105, 106, 141, 174  
 flightpath / flight path, 88  
 flow management, 80, 144, 177  
 foam carpet, 146  
 foam crash tender, 54  
 follow-me car, 54  
 foreign object, 18  
 Foreign Object Damage (FOD), 37  
 freezing level, 100  
 freighter, 58  
 frequency congestion, 15, 67, 72, 171, 178  
 friction tester, 54  
 fuel emergency, 185  
 fuel farm, 32  
 fuel hydrant, 54  
 fuel manifold, 201  
 fuel tanker, 54  
 full-stop landing, 200  
 fumes, 91  
 fuselage, 40  
 future tense, 54

**G**

gain on (v), 161  
 galley, 72, 182  
 garbled messages, 13, 14, 72, 178  
 gate, 32, 52  
 gear, 15, 76, 185, 189

generator overload, 201  
 give way (v), 17  
 glare, 91  
 glide path, 20  
 glideslope, 32, 33, 189, 193, 194, 195  
 Global Navigation Satellite System (GNSS), 127, 159  
 go ahead (v), 59  
 go-around, 19, 25, 99, 101, 102, 155, 162  
 ground crew, 29, 48, 50, 51, 53  
 Ground Power Unit (GPU), 37  
 Ground Proximity Warning System (GPWS), 24, 80, 169, 214, 215

**H**

hail, 91  
 hand signals, 81  
 handoff (n), 26  
 handover (n), 26  
 hangar, 32, 33, 62  
 hard copied (v), 71  
 hard landing, 28, 88, 101  
 hardly (adv), 36  
 hazards, 48, 49  
 haze, 90, 204  
 Head Up Display (HUD), 79, 80  
 heading (HDG), 16, 25, 129, 145, 202  
 headwind, 100  
 hearback error, 70, 97, 117–18, 160–61  
 hectoPascal (hPa), 19  
 high frequency (HF), 140  
 High Intensity Runway Lighting (HIRL), 32  
 high-speed approach, 193  
 high-speed exit, 28, 32  
 higher, 28  
 hijacker, 135, 185  
 hold short of (v), 13, 31  
 holding point / position, 13, 26, 32, 72  
 homophones, 124–35  
 horizontal separation, 118, 126, 28, 90, 112, 117, 128, 129, 198  
 horizontal stabiliser, 186  
 hot section, 105  
 hot spot, 32, 33  
 hydraulic problems, 135, 153, 178, 181, 185, 190, 200, 210  
 hypoxia, 178  
 Hz, 92

**I**

-ing forms, 52, 114  
 icing, dealing with, 35, 102–5  
 idle, 105, 141  
 in-flight turnback, 23  
 inbound track, 98, 206, 207  
 incapacitated, 28, 54, 149  
 Indicated Airspeed (IAS), 24, 100, 109, 145  
 Indicated Approach Fix (IAF), 24  
 indication, 139, 180  
 inertial navigation, 80  
 Inertial Navigation System (INS), 24, 32, 44, 177  
 Inertial Reference System (IRS), 24, 176  
**information, obtaining and relaying**, 142, 167–68  
 Information Kilo, Lima, Mike etc., 18, 77, 154, 158  
 in.Hg, 19, 23, 24, 26, 35, 112, 113  
 Initial Approach Fix (IAF), 168, 207  
**instructions, giving and receiving**, 42–44, 81–82, 96–97, 114, 137–38, 205–6  
 Instrument Flight Rules (IFR), 97, 197  
 Instrument Landing System (ILS), 12, 19, 31, 37, 119, 127, 141, 159, 169, 192–94, 214  
 Instrument Meteorological Conditions (IMC), 27, 38, 142  
 Integrated Drive Generator (IDG), 177, 186, 205  
**intentions, asking about**, 135, 148  
 intercept (n), 112, 140  
 intermittent, 177  
 intersection, 32

intonation, 119, 121, 125  
 intoxicated, 16

**J**

jammed, 39, 40, 177, 178  
 Jeppesen charts, 170  
 jet blast, 77  
 jet streams, 139  
 jettison (v), 23  
 jetty, 54, 56  
 jetway, 26, 54  
 joining clearance, 97

**K**

key in (v), 161

**L**

land long (v), 41  
 Landing Distance Available (LDA), 139–40, 156  
 landing gear, 15, 76, 185, 189  
**language barrier**, 143  
**language confusion**, 14–15  
 late flare, 204  
 lateral distance, 212  
 leakage, 39, 40  
 level busts, 111, 112, 118–19  
 level change, 107  
 lift dumper, 190  
 light chop, 105  
 line maintenance, 48, 49, 56, 141  
 line up and wait (v), 26, 31, 72, 78  
 line-up check, 71  
**listening**, 19, 122  
 load shed, 192  
 loadmaster, 48  
 local time (LT), 212  
 localizer antenna  
 logbook, 139  
 long-haul, 138  
 long straight-in approach, 184  
 long way round, 120  
 loose, 179, 191  
 loss, 131, 179  
 low ceiling, 91  
 low pass, 136  
 low pressure (LP), 205  
 lower cargo deck, 49

**M**

Mach number, 35  
 magnetic track, 150  
 main equipment centre, 182  
 main gear, 16  
 maintain own separation (v), 184  
 maintain runway heading (v), 72  
 mandatory, 156  
 manoeuvrability, 12  
 manoeuvring surface, 65  
 marking, 31  
 marshaller, 48  
 maximum landing weight, 23, 135, 141  
 Mayday calls, 18, 140, 185  
 mean sea level, 169  
 medium haul, 199  
 memorising, 121–23  
 met office, 32  
 metal debris, 57  
 Meteorological Airport Reports (METAR), 88, 92–94

## INDEX

microburst, 89  
 millibars, 129  
 minima, 100  
 minimum approach speed, 17  
 Minimum Descent Altitude (MDA), 164, 169  
 Minimum Equipment List (MEL), 42  
 Minimum Safe Altitude (MSA), 169, 200  
 missed approach, 12, 105, 155, 182  
 Missed Approach Point (MAP), 24, 170  
 missing, 39, 179  
**misunderstandings**, 13–14  
**modal verbs**, 73–74, 135  
 Mode Control Panel, 111, 115  
 monitor (v), 70, 126, 189–92

**N**

nacelle, 16, 99  
 National Air Traffic Services (NATS) chart, 112, 127, 155, 169, 171  
 navaid, 59, 127, 141  
 navigation accuracy check, 212  
 Navigation Display (ND), 79, 97  
 negative, 117  
 no deviation signal, 194  
 no-entry sign, 31  
 no-go item, 42  
 no show (n), 35  
 noise, 179  
 Non-Directional Beacon (NDB), 37, 38, 127, 213, 2112  
 non-precision approach, 149  
 northerly, 139  
 nose-down correction, 204  
 nose gear, 37  
 nose-up elevator, 76  
 note-taking, 17, 58, 59  
 Notices for Airmen (NOTAMs), 69, 70, 214, 215  
**numerals**, 18, 26, 35–36, 67–68  
 NZ60 incident, 192–95, 213–15

**O**

oblique exit / turn-off, 73  
 obscuration, 89  
 offload (v), 51  
 offset (v), 167  
 on hold, 38, 65, 117  
 on runway heading, 18  
 onward clearance, 118  
 opposite, 151  
**options, considering**, 140–41  
 orbit (v), 17, 25  
 outbound destination sign, 31  
 outbound track, 207  
 outer marker, 115  
 outer taxiway, 32  
 outflow valve, 177, 186  
 outgoing flight, 53  
 outlying stand, 32, 54, 56  
 Outside Air Temperature (OAT), 24  
 overfly (v), 148  
 overhead, 100  
 overhead panel, 180  
 override (v), 59, 83, 84  
 overshoot (v), 81, 100, 152  
 oversight, 69

**P**

pack controller, 177  
 pallet, 134  
 ‘pan-pan, pan-pan, pan-pan,’ 18, 140  
 Parallel Aircraft Parking Aid (PAPA), 51  
 parameter, 133

parking brake, 158  
 pass your message (v), 120  
 passenger, seriously ill, 131, 134, 137  
 passenger address (PA), 202  
 Passenger Service Unit (PSU), 105  
**passive, uses of**, 75–76, 114  
**past continuous**, 202  
**past perfect**, 114, 184, 202  
**past simple**, 65, 114, 133–34, 184, 202  
**pausing**, 119, 121, 181  
 paving, 25, 32  
 payload, 29, 35, 85  
 penalty, 186  
 perform a 360 (v), 21  
 perimeter fencing, 32  
 perishable goods, 51  
 phrasal verbs, 99, 102, 187, 199  
**phrasing**, 124, 125  
 pier, 32  
 pilot flying (PF), 98, 104, 115  
 pilot-in-command, 101  
 pilot non-flying (PNF), 98, 189  
 pilot reports (PIREP), 88, 92  
 pitch attitude, 89  
 pitch-down input, 204  
 pitch-down movement, 184  
 pitot heat, 78  
**plain language**, 11–13, 47–48, 81–82, 123, 132  
 post-incident analysis, 158  
 power cut, 176  
 power setting, 102  
 power transient, 180  
 precautionary landing, 18, 134, 135, 200  
 precipitation, 89  
 Precision Approach Path Indicator (PAPI), 38, 180, 203, 204  
**preferences, expressing**, 211  
**prepositions**, 33–34, 114  
**present continuous**, 33–134, 50, 52, 53, 133–34, 184  
**present perfect**, 53, 113, 114, 184, 188, 201  
**present simple**, 53, 64, 136, 201  
 primary radar target, 204  
 probes, 99, 109, 180  
 procedure turn, 97  
**procedures, describing**, 205–7  
**pronunciation**, 13, 14, 17  
 published speed, 173  
 pull in (v)  
 purser, 16, 124  
 pushback, 16, 29, 49, 57

**Q**

QFE (standard pressure altitude with reference to airport elevation), 37, 52  
 QNH (standard pressure altitude with reference to sea level), 19, 52, 57  
**questions, asking**, 20, 21–22  
 Quick Engine Change, 187  
 Quick Reference Checklist / Handbook, 109, 149, 205  
 quiet hours, 16

**R**

R/T loading, 126, 129, 130  
 radar antenna, 32, 169  
 radar coverage, 61  
 radar return, 105  
 radar surveillance approach, 200  
 radar vector, 160  
 radial, 59, 120  
 radio altitude, 158  
 radio management panel, 82  
 radio operator, 128  
 radio silence, 184  
 radome, 91

Ram Air Turbine (RAT) extended, 192  
 ramp, 32  
 ramp supervisor, 29, 48  
 range, 97, 128  
 read (v), 151  
 readback, 16–18, 34, 56–57, 70, 96–97  
 readback error, 13, 117–18, 160–61  
 readback/hearback error, 118–19  
**reading skill**, 121–22  
 rear cockpit bulkhead, 72  
**reasons, asking for and giving**, 124, 145–46, 181, 192–93  
 re-clear (v), 112–13  
**recommendations, discussing**, 125–26  
 recovery, 106  
 recycle (v), 186  
 Reduced Vertical Separation Minima (RVSM), 111, 112, 127  
 reference speed, 78, 101, 166, 173, 192  
 relief crew, 124  
 relight (v), 109, 110, 136, 149  
 reluctance, 183  
 remote stand, 32  
 repair station, 141  
 report short final, 18  
 report (v), 12  
 report vacating / vacated (v), 19, 57  
**reporting**, 89, 91–92, 167, 176–80  
**requests, making**, 12, 20, 22–23, 134  
 Resolution Advisory (RA), 111, 115, 144, 198, 202  
**results, speculating about**, 90, 114  
 retard (v), 187  
 retract the gear (v), 76  
 reverse thrust, 158  
 rime icing, 92  
 risk factor, 42, 212  
 RNAV (Area Navigation), 127  
 Roger, 34, 56, 58, 65, 77, 82  
 roll through (v), 44  
 rollout / roll-out (n), 23, 102, 182  
 rudder deflection, 189  
 run away (v)  
 run up (v), 55, 187  
 runway, 32  
 runway centreline lighting, 32  
 runway centreline marking, 31  
 runway confusion, 166  
 runway edge lighting, 32  
 runway excursion, 156, 165–68  
 runway exit, 32  
 runway exit sign, 31  
 runway holding point / position marking, 31  
 runway incursion, 14, 29, 30, 33, 46, 59–60, 66–87, 156, 166  
 Runway Visual Range (RVR), 19, 22, 37, 38, 76, 77

**S**

Saint Elmo's fire, 134  
 say again (v), 21, 104, 143  
 scattered (SCT) showers, 91, 94  
 seal failure, 178  
 Secondary Surveillance Radar (SSR), 17, 146, 176, 183  
 sector, 126, 128  
**sensory perception, language of**, 57–58  
 separation, 80, 111, 112, 144  
 sequencing, 200  
 shift handover, 210  
 shift (n), 91  
 short circuit, 179  
 short final, 44, 68  
 Short Term Conflict Alert, 116, 117  
**should, uses of**, 162–63  
 shutdown (n), 106  
 signs, 31, 70, 71  
 sill, 40  
 sink rate, 101  
 situational awareness, 19, 79–82, 121, 163–65

skid (v), 42, 58, 81  
 slide, 63  
 slope, 35  
 slot time, 28, 38  
 smoke, 39, 90, 109, 185  
 smooth tops, 100  
 snow blower, 55  
 snow flurries, 99  
 snow plough, 55  
 spacing, 28  
 speed bugs, 78  
 split sector, 126, 128  
 spoilers, 49, 190, 191  
 spurious, 177  
 squall, 92  
 squawk (n and v), 17  
 stabilised approach, 155, 171, 189, 211  
 stabiliser/stabilizer, 21, 26, 186  
 stabiliser trim runaway, 177  
 stack, 105  
 stall, 103, 106, 176, 179  
 stand by (v), 19, 48, 56, 59, 60, 63  
 stand (n), 32, 49, 52  
 Standard Instrument Departure (SID), 38, 126, 170  
 standard operating procedures (SOPs), 71, 106, 126, 166  
**standard phraseology**, 10, 11–13, 13, 45, 78, 123, 132, 143  
 standard pressure setting, 113  
 standby instruments, 134, 143, 181, 182  
 static discharger, 40, 178  
 statute mile, 94  
 step climb (n), 126  
 step-down approach, 203, 206, 207  
 step-down fix, 207  
 sterile cockpit, 77–79  
 stick shaker, 182  
 sticking mike, 210  
 stop bar, 72  
 stopway, 32  
 straight ahead, 13, 65, 72  
 straight-in, 97, 146  
 stratiform cloud, 103  
 stress (human), 131, 132, 133, 143, 147–48, 149, 175  
**stress (word)**, 102, 119, 121, 133, 198  
 stretcher, 55, 56  
**subject, omitting**, 133  
 supply line, 140  
**supposition, structures for**, 122  
 surface movement radar, 80  
 surface wind, 101  
 surge margin, 106  
 surge (n), 106, 179  
 Surveillance Minimum Altitude (SMA) area, 169  
 surveillance radar approach, 183  
 sweeper, 55  
 Swiss cheese model, 214, 215  
 synthetic voice, 102

**T**

tailpipe, 58  
 tailwind, 89, 90, 101, 102, 166, 195, 214  
 take-off roll, 60  
 take over (v), 199  
 task sharing, 140  
 taxi instructions, 29, 38, 41–44, 70, 73  
 taxi location sign, 31  
 taxiway (TWY), 22, 32  
 taxiway ending marking, 31  
 team resource management, 207–8  
 technical log, 139  
 Tenerife accident, 1977 (runway incursion), 14, 59–60  
 Terminal Aerodrome Forecast (TAF), 88, 92–94  
 Terminal Control Area (TMA), 129  
 terrain, 138, 169  
 threats, managing, 209–10  
 threshold, runway, 14, 22, 32, 42

## INDEX

throttle back (v), 135, 140, 179  
 thrust (n), 59, 76  
 thud, 57  
 thunderstorms, 90, 97, 99, 101, 102, 103, 107, 165, 172, 201, 210  
 toilet servicing truck, 55  
 torching, 43  
 touch and go (n), 200  
 touchdown aim point / target, 32  
 touchdown long (n), 166  
 touchdown zone, 32  
 tow bar, 55  
 tow vehicle, 12, 16, 29, 30, 37, 41, 54, 55, 58, 61  
 track, 25, 197  
 Traffic Advisory, 111, 154, 198  
 traffic circuit, 26  
 Traffic Collision Avoidance System (TCAS), 22, 80, 111, 197, 198  
 traffic conflict, 115  
 traffic pattern, 26  
 transition altitude, 103, 104, 113  
 transition level, 103, 104, 112  
 transponder, 103, 104  
 trim fuel valve, 186  
 trim tank, 186  
 Trimmable Horizontal Stabiliser (THS), 177, 186  
 tug, 39, 54, 55  
 turboprop, 23, 103  
 turnaround, 29, 47–48  
 turnaround incidents, handling, 39–41

## U

unable, 132, 152, 200  
 unambiguous, 123, 124  
**uncertainty, expressing**, 135–36  
 unconsciousness, 56, 150  
 undershoot windshear, 100  
 unexpected events, 148–50, 175  
 unions, 40  
 unit load device (ULD), 39, 55  
 unruly passengers, 15, 62, 144, 147, 201, 202  
 unserviceable (U/S), 40, 180  
 updraught, 119  
 uplift (v), 50  
 upper-level winds, 139  
 upwind end, 57  
 UTC (Universal Time Coordinated, Zulu time), 95, 145

## V

vectoring, 18  
 vectoring ILS approach, 138  
 veer (to), 166

vertical separation, 24, 111, 112, 113, 117, 118, 126, 127, 129, 174, 199  
 Vertical Speed Indicator (VSI), 145, 189  
 vertical speed mode, 195  
 Very High Frequency (VHF), 37, 80, 145  
 visual, 107, 158  
 visual approach, 18  
 Visual Approach Slope Indicator (VASI), 204  
 visual contact, 20  
 Visual Flight Rules (VFR), 38, 97, 111, 197  
 Visual Meteorological Conditions (VMC), 142, 145  
 visual references, 193, 203–5  
 visual separation, 16  
 volcanic ash, 105–6, 108–10, 134  
 VOR-DME approach, 159  
 VOR (VHF Omnidirectional Range), 24, 28, 37, 120, 121, 127, 145, 203, 213  
 VORTAC (VOR + Tacan), 127  
 Vref (reference speed), 78, 101, 166, 173, 192

## W

wake turbulence, 90, 100  
 walkaround inspection, 16, 49–50  
 warning, 180  
 water servicing truck, 55  
 waypoint, 15  
 wear, 69  
 weather avoidance, 97  
 weather information, communicating, 92–96, 97–100  
 weather radar, 88, 97, 100  
 weight and balance sheet, 22, 62  
 whiteout, 204  
 wilco, 34, 56, 77  
**will, uses of**, 40, 50, 94, 164, 165  
 window heat, 78  
 windshear, 20, 91, 100–102  
 windshield, 131, 144, 196  
 windsock, 32  
 workload, 122, 128, 149  
 worn, 39, 69, 179, 191

## Y

yaw control, 189  
 yaw damper, 78, 181  
 yoke, 16

## Z

Zulu time (UTC), 95

## ACKNOWLEDGEMENTS

The publishers would like to thank the following:  
 Design and page make-up: eMC Design Ltd.  
 Freelance editor: Ben Gardiner  
 Index: Linda Hardcastle

**Jeremy Day** would like to thank Bożena Śląwińska for teaching him so much about the needs of pilots and Air Traffic Controllers and for arranging a tour of the Warsaw control tower. He would also like to thank the Warsaw controllers who gave of their time and provided insights into their work. Thanks to co-author Philip for his patience and expertise, and to editors Ben Gardiner and Keith Sands. As always, thanks to Ania, Emilka and Tomek for their patience and support.