



# Index

- ABC protocol /eɪ.biːˈsiː ˌprəʊ.tə.kəl/ 13  
abdomen /ˈæb.də.mən/ 3  
abnormal gait /æb.nɔː.məlˈ geɪt/ 26  
abnormality /æb.nɔːˈmæl.ə.ti/ 37  
about /əˈbaʊt/ 55  
abrasion /əˈbreɪ.ʒən/ 32  
absent (reflex) /ˈæb.sənt 27  
abstract /ˈæb.strækt/ 58  
Accident and Emergency Department (A&E) /ˌæk.sɪ.dənt ənd ɪˈmɜː.dʒənt.sɪ dɪ.pɑːt.mənt/ 9  
accommodation /ə.kəm.əˈdeɪ.ʃən/ 19  
account for /əˈkaʊnt fɔː/ 56  
acknowledgement /əkˈnɒl.ɪdʒ.mənt/ 57  
acutely ill /əˈkjuːt.li ɪl/ 9  
adequate /ˈæd.əkwət/ 15  
adjuvant /ˈædʒ.ə.vənt/ 42  
administer /ədˈmɪn.ɪ.stə/ 36  
admission /ədˈmɪʃ.ən/ 6, 9  
admit /ədˈmɪt/ 6  
afebrile /eɪˈfɪr.braɪl/ /eɪˈfebrail/ 24  
affect /əˈfekt/ 25, 27  
affected by /əˈfektɪd baɪ/ 44  
affective disorder /əˈfek.tɪv dɪ.sɔː.də/ 25  
AFP /eɪ ef ˈpiː/ 43  
agitated /ˈædʒ.ɪ.teɪ.tɪd/ 51  
airway /ˈeə.weɪ/ 3, 13  
alcoholism /ˈæl.kə.həl.ɪ.zəm/ 25  
alive and well /əˈlaɪv ənd ˈwel/ 60  
allergic /əˈlɜː.dʒɪk/ 48  
allergy /ˈæl.ə.dʒi/ 48  
allied health professional /ˌæl.aɪd ˈhelθ prəˌfeʃ.ənəl/ 8  
almost /ˈɔːl.məʊst/ 55  
ambulance technician /ˈæm.bjuː.lənts tek.nɪʃ.ən/ 8  
amputation /ˌæm.pjuˈteɪ.ʃən/ 8  
anaemia /əˈniː.mi.ə/ 15  
anaesthetics /ˌæn.əsˈθet.ɪks/ 5  
anaesthetist /əˈniːs.θə.tɪst/ 5  
analysis /əˈnæl.ə.sɪs/ 34  
angina /æˈnɪdʒa.nə/ 39, 52  
angry /ˈæŋ.gri/ 51  
anorexia /æn.əˈrek.sɪ.ə/ 14  
anxiety /æŋˈzaɪ.ə.ti/ 25  
anxious /æŋk.ʃəs/ 51  
apex beat /eɪ.peks ˈbiːt/ 23  
aplastic anaemia /eɪ.plæs.tɪk əˈniː.mi.ə/ 15  
appetite /ˈæp.ɪ.taɪt/ 4, 14, 51  
appliance /əˈplaɪ.ənts/ 10  
apply /əˈplai/ 34, 38  
appointment /əˈpɔɪnt.mənt/ 10  
approximation /əˈprɒk.sɪ.meɪ.ʃən/ 55  
approximately /əˈprɒk.sɪ.mət.li/ 55  
apyrexial /ˌeɪpɑːˈrek.sɪ.əl/ 24  
armpit /ˈɑːm.pɪt/ 2  
arm /ɑːm/ 37  
around /əˈraʊnd/ 55  
artificial limb /ɑː.tɪ.ˈfɪʃ.əl ˈlɪm/ 8  
artificial replacement /ɑː.tɪ.ˈfɪʃ.əl rɪˈpleɪs.mənt/ 8  
aspirate /ˈæs.pɪ.reɪt/ 41  
assess /əˈses/ 9, 57  
assessment unit /əˈses.mənt ˌjuː.nɪt/ 9  
assist at /əˈsɪst æt/ 5  
assistant /əˈsɪs.tənt/ 41  
assisted dying /əˈsɪstɪd ˈdaɪ.ɪŋ/ 45  
associate specialist /əˌsəʊ.si.ənt ˈspeʃ.əl.ɪst/ 6  
association between /əˌsəʊ.si.əɪ.ʃən bɪˈtwɪn/ 44  
at an early stage /ət ən ˈɜː.li ˈsteɪdʒ/ 28  
at rest /ət rest/ 22  
atrial fibrillation /eɪ.tri.əl fɪbrɪˈleɪ.ʃən/ 22  
attend /əˈtend/ 9  
AVF 39  
AVL 39  
AVR 39  
aura /ˈɜː.rə/ 26  
auscultation /ɔːskʊlˈteɪ.ʃən/ 23  
avoid /əˈvɔɪd/ 53  
Babinski (response) /bəˈbɪnskiː/ 27  
Bachelor of Medical Sciences /ˌbætʃ.əl.ər əv ˈmed.ɪ.səns/ 12  
Bachelor of Medicine /ˌbætʃ.əl.ər əv ˈmed.ɪ.sən/ 11, 12  
Bachelor of Surgery /ˌbætʃ.əl.ər əv ˈsɜː.dʒər.ɪ/ 11, 12  
back /bæk/ 2  
back passage /ˌbæk ˈpæs.ɪdʒ/ 3  
background /ˈbæk.graʊnd/ 57  
bad news /ˌbæd ˈnjuːz/ 54  
BAL /ˌbiːəˈel/ 35  
bar chart /ˈbɑːr ˈtʃɑːt/ 56  
bedsore /ˈbed.sɔː/ 32  
behavioural syndrome /brɪˈheɪ.vjə.rəl ˌsɪn.drəm/ 25  
benefit /ˈben.ɪ.fɪt/ 36  
benign /brɪˈnaɪm/ 28  
bedside presentation /ˌbed.sɑɪd prez.ənˈteɪ.ʃən/ 60  
bias /ˈbaɪ.əs/ 46  
biochemistry lab report /ˌbaɪ.əʊ.kem.ɪ.stri ˈlæb rɪ.pɔːt/ 35  
bioethical issues /ˌbaɪ.əʊ.əθ.ɪk ˈɪʃ.uːz/ 45  
biopsy /ˈbaɪ.ɒp.si/ 36  
birth rate /ˈbɜːθ ˌreɪt/ 44  
birthmark /ˈbɜːθ.mɑːk/ 31  
blackout /ˈblæk.aʊt/ 26, 49  
bladder /ˈblæd.ə/ 3, 26, 33  
bleeding /ˈbliː.dɪŋ/ 15  
bleeper /ˈbliː.pə/ 6  
blinding /ˈblaɪn.dɪŋ/ 46  
blindness /ˈblaɪnd.nəs/ 26  
blister /ˈblɪs.tər/ 31  
blistering /ˈblɪs.tər.ɪŋ/ 40  
block /blɒk/ 28  
blood /blʌd/ 15, 33, 34  
blood cholesterol /ˌblʌd kəˈles.tər.əl/ 43  
blood culture /ˈblʌd ˌkʌltʃə 35  
blood pressure /ˈblʌd ˌpref.ə/ 7, 34  
blood-stained /ˈblʌd.steɪnd/ 30  
blow (n) /bləʊ/ 32  
blunt force /ˈblʌnt ˌfɔːs/ 32  
blurred /ˈblɜːrd/ 37  
blurring /ˈblɜːrɪŋ/ 26  
body fluids /ˈbɒd.i ˌfluː.ɪdʒ/ 43  
boil /bɔɪl/ 31  
bone marrow /ˈbəʊn ˌmær.əʊ/ 15  
bone /bəʊn/ 16  
book /bʊk/ 10  
book into /ˌbʊk ɪnˈtuː/ 54  
bowel /ˈbaʊ.əl/ 3, 20  
bowel habit /ˈbaʊ.əl ˌhæb.ɪt/ 20  
bowel movement /ˈbaʊ.əl ˌmuːv.mənt/ 20  
bowel sounds /ˈbaʊ.əl ˌsaʊndz/ 20  
break out /ˌbreɪk ˈaʊt/ 31  
breakdown /ˌbreɪk.daʊn/ 15  
breast /breɪst/ 2  
breastbone /ˈbreɪst.bəʊn/ 16  
breath /breθ/ 4, 30, 37  
breath sounds /ˈbreθ ˌsaʊndz/ 30  
breathe in /ˌbriːð ˈɪn/ 4  
breathe out /ˌbriːð ˈaʊt/ 4  
breathlessness /ˈbreθ.ləsənəs/ 22  
breach presentation /ˌbrɪtʃ prez.ənˈteɪ.ʃən/ 29  
bring on /ˌbrɪŋ ˈɒn/ 49  
bring up /ˌbrɪŋ ˈʌp/ 49  
brisk (reflex) /brɪsk/ 27  
British Medical Journal (BMJ) /ˌbrɪt.ɪʃ ˈmed.ɪ.kəl ˌdʒɜː.nəl/ 58  
British National Formulary /ˌbrɪt.ɪʃ ˌnæf.ən.əl ˈfɔːr.mju.ləri/ 40  
bronchiole /ˈbrɒŋ.ki.əl/ 3  
bruise /bruːz/ 32, 34  
bruising /ˈbruː.zɪŋ/ 34  
bruit /bruːt, br/ 18  
bugs /bʌgz/ 24  
bulky /ˈbʌl.ki/ 20  
buttock /ˈbʌt.ək/ 2  
buzzing /ˈbʌzɪŋ/ 26  
cadaver /kəˈdæv.ə/ /kəˈdɑːv.ə/ 11  
caesarean section /sɪˌzeə.ri.ən ˈsek.ʃən/ 29  
calf /kɑːf/ 2  
calibrate /ˈkæl.ɪ.breɪt/ 39  
cardiac output /ˌkɑː.di.æk ˈaʊt.pʊt/ 22  
cardiologist /ˌkɑː.diˈɒl.ə.dʒɪst/ 5  
care /keə/ 45  
carrier /ˈkær.i.ə/ 24  
carry /ˈkær.i/ 24, 29  
carry on /ˌkær.i ˈɒn/ 49, 53  
carry out /ˌkær.i ˈaʊt/ 7, 10  
case fatality /keɪs fəˈtæl.ə.ti/ 44  
case history /ˈkeɪs ˌhɪs.tər.i/ 13, 47, 48, 49  
case notes /ˈkeɪs ˌnəʊts/ 47  
case presentation /ˌkeɪs prez.ənˈteɪ.ʃən/ 60  
case-control study /ˌkeɪs kənˈtrəʊl ˈstʌd.i/ 46  
cast /kɑːst/ 33  
Casualty /ˈkæʒ.ju.əl.ti/ 9  
cataract /ˈkæt.ə.rækt/ 19  
catch /kætʃ/ 24  
catheter specimen (CSU) /ˌkæθ.ɪ.təʃ ˈspes.ə.mɪn/ 33  
causation /kəˈzeɪ.ʃən/ 44

causative /'kɔː.zə.tɪv/ 44	complain of /kəm'pleɪn ɒv/ 14, 60	cut out /,kʌt 'aʊt/ 53
causative factor /'kɔː.zə.tɪv 'fæk.tə/ 44	complaint /kəm'pleɪnt/ 14	cyanosis /,saɪ.'nʌ.sɪs/ 23
cause of death /,kɔːz əv 'deθ/ 48	complete remission /kəm'plɪt rɪ'mɪʃ.ən/ 39	data presentation /'deɪ.tə prez.ən.teɪ.ʃən/ 55, 56
caused by /'kɔːzd baɪ/ 53	complex /'kɒm.pleks/ 39	day surgery unit /'deɪ ,sɜː.dʒər.i 'juː.nɪt/ 9
cauterize /'kɔː.tər.aɪz/ 36	compliance /kəm'plaɪ.ənts/ 48	deafness /'def.nəs/ 26
caution /'kɔː.ʃən/ 40	compulsion /kəm'pʌl.ʃən/ 25	death rate /'deθ ,reɪt/ 44
central nervous system /,sen.trəl 'nɜː.vəs ,sɪs.təm/ 49	Computed Tomography /kəm,pjuː.tɪd tə'mɒɡ.rə.fi/ 37	decrease (v) /dɪ'kriːs/ 56
change of life /,tʃeɪndʒ əv 'laɪf/ 21	Computed Tomography (CT) scanner /kəm,pjuː.tɪd tə'mɒɡ.rə.fi ,skæn.ər/ 37	deficiency /dɪ'fɪʃ.ənt.si/ 18
channel /'tʃæn.əl/ 36	conclusion (research) /kən'kluː.ʒən/ 57, 58	deficient /dɪ'fɪʃ.ənt/ 18
charge nurse /'tʃɑːdʒ ,nɜːs/ 7	condom /'kɒn.dəm/ 21	deficient in /dɪ'fɪʃ.ənt ɪn/ 15
check-up /'tʃek.ʌp/ 10	conduction abnormality /kən,dʌk.ʃən æb.nɔː'mæl.ə.ti/ 39	deflated /dɪ'fleɪ.tɪd/ 37
chemist's /'kem.ɪsts/ 40	conference presentation /kən.fɜː.ənts prez.ən.teɪ.ʃən/ 59	deformity /dɪ'fɔː.mɪ.ti/ 8
chemotherapy /,kiː.məʊ'θer.ə.pi/ 42	confidential /,kən.fi'den.tʃəl/ 45	degree /dɪ'ɡriː/ 12
chest /tʃest/ 2, 3	confirm /kən'fɜːm/ 57	dejected /dɪ'dʒek.tɪd/ 51
chest positions /'tʃest pəˌzɪʃ.ən/ 39	confound /kən'faʊnd/ 44	delayed growth /dɪˌleɪd 'ɡrəʊθ/ 17
chew /tʃuː/ 4	confused /kən'fjuːzd/ 51	delayed puberty /dɪˌleɪd 'pjuː.bə.ti/ 17
chickenpox /'tʃɪk.ɪn.pɒks/ 17	consciousness /'kɒn.tʃə.sənəs/ 26	delivery /dɪ'lɪv.ər.i/ 29
child development /,tʃaɪld dɪ'vel.əp.mənt/ 17	consent /kən'sent/ 45	deluded /dɪ'luː.dɪd/ 51
childbirth /'tʃaɪld.bɜːθ/ 29	consistency /kən'sɪs.tənt.si/ 20	delusion /dɪ'luː.ʒən/ 25, 51
childhood /'tʃaɪld.hʊd/ 17	constant (n) /'kɒnt.stənt/ 46	dementia /dɪ'men.tʃə/ 25, 51
chills /tʃɪlz/ 24	constipation /,kɒnt.stɪ'peɪ.ʃən/ 14, 20	demonstrate /'dem.ən.streɪt/ 12, 38
chiroprapist /kɪ'rɒp.ə.dɪst/ 8	constrict /kən'strɪkt/ 19	demonstrator /'dem.ən.streɪ.tə/ 12
chronic blood loss /krɒn.ɪk 'blʌd ,lɒs/ 15	consultant /kən'sʌl.tənt/ 6, 11	depressed (mood) /dɪ'prest/ 51
chronic fatigue /,krɒn.ɪk fə'tiːɡ/ 42	consulting room /kən'sʌl.tɪŋ ,ruːm/ 5	depressed (ST segment) /dɪ'prest/ 39
clay-coloured /'kleɪ.kʌl.əd/ 20	contact lens /'kɒn.tækt ,lenz/ 8	depression /dɪ'pref.ən/ 25
clerk (v) /klerk/ 6	contaminated water /kən,tæm.ɪ.neɪ.tɪd 'wɔː.tə/ 43	design (research) /dɪ'zaɪn/ 58
climacteric /klaɪ'mæk.tərɪk/ 21	continuing professional development /kən,tɪn.juː.ɪŋ prə'fes.ən.əl dɪ'vel.əp.mənt/ 11	designer baby /dɪˌzɑː.nə 'beɪ.bi/ 45
clinic /'klyn.ɪk/ 9	contraception /,kɒn.trə'sep.ʃən/ 21	deteriorate /dɪ'tɪə.ri.ə.reɪt/ 1
clinical attachment /,klyn.ɪ.kəl ə'tætʃ.mənt/ 11	contracted /'kɒntræktɪd/ 43	determine /dɪ'tɜː.mɪn/ 57
clinical competency /,klyn.ɪ.kəl 'kɒm.pɪ.tənt.si/ 12	contraindication /,kɒn.trə.ɪn.dɪ'keɪ.ʃən/ 38, 40	diagnosis /,daɪ.əɡ'nəʊ.sɪs/ 6, 15, 52
clinical features /,klyn.ɪ.kəl 'fɪː.tʃəz/ 17	contrast /'kɒn.trɑːst/ 38	diagnostic endoscopy report /daɪ.əɡ.nɒs.tɪk en'dɒs.kə.pɪ rɪˌpɔːt/ 36
clinical skill /'klyn.ɪ.kəl ,skɪl/ 11	contrast medium /'kɒn.trɑːst ,mɪː.di.əm/ 37	diaphragm (anatomy) /'daɪ.ə.fræm/ 3
clinical support worker /,klyn.ɪ.kəl sə'pɔːt ,wɜː.kə/ 7	contrasting /'kɒn.trɑːstɪŋ/ 59	diaphragm (contraceptive) /'daɪ.ə.fræm/ 21
clinical trainer /'klyn.ɪ.kəl ,treɪ.nə/ 12	contributor /kən'trɪb.jʊ.tə/ 58	diarrhoea /,daɪ.ə'riː.ə/ 1, 20
clinician /klyn'fɜːn/ 5	controlled trial /kən'trəʊld 'traɪəl/ 46	diastolic blood pressure (DBP) /,daɪ.ə.stəl.ɪk 'blʌd ,pref.ə/ 34
clone /kləʊn/ 45	contusion /kən'tjuː.ʒən/ 32	diathermy /,daɪ.əθɜː.mi/ 41
close in layers /,kləʊz ɪn 'leɪ.ez/ 41	converge /kən'veɜːdʒ/ 19	differential diagnosis /dɪf.ə'ren.tʃəl daɪ.əɡ'nəʊ.sɪs/ 15
closed question /,kləʊzd 'kwes.tʃən/ 49	convulsion /kən'vʌl.ʃən/ 26	difficulty /'dɪf.ɪ.kəl.ti/ 4
closure /'kləʊ.ʒə/ 41	coordination /kəʊˌɔː.dɪ'neɪ.ʃən/ 27	diffuse (adj) /dɪ'fjuːs/ 18
clot /klot/ 21, 34	copper coil /,kɒp.ə 'kɔɪl/ 21	dilate /dar'leɪt/ 34
club foot /,klʌb 'fʊt/ 8	cottonwool exudate /,kɒt.ən.wʊl 'ek.sjuː.deɪt/ 19	dilated /dar'leɪtɪd/ 19
clubbing /'klʌb.ɪŋ/ 23	cough /kɒf/ 17, 30	diminished (reflex) /dɪ'mɪn.ɪʃt/ 27
coeliac disease /'siː.liː.æk dɪz.ɪz/ 17	counfound variable /kən'faʊndɪŋ 'veə.ri.ə.bl/ 46	dimmed /dɪmd/ 34
coeliac disease (CBT) /,kɒɡ.nɪ.tɪv bɪˌher.vjə.rəl 'θer.ə.pi/ 42	counselling /'kaʊnt.səl.ɪŋ/ 42	Diploma /dɪ'pləʊ.mə/ 12
cohort study /'kəʊ.hɔːt ,stʌd.i/ 46	course of action /,kɔːs əv 'æk.ʃən/ 53	disability /dɪs.ə'bɪl.ɪ.ti/ 8
collarbone /'kɒl.ə.bəʊn/ 16	cover /'kʌv.ə/ 41	disagree with /,dɪs.ə'ɡriː wɪð/ 4
college tutor /,kɒl.ɪdʒ 'tjuː.tə/ 12	crackles /'kræk.lz/ 30	disappointed with /dɪs.ə'pɔɪntɪd wɪð/ 54
college /'kɒl.ɪdʒ/ 11	croup /kruːp/ 17	discharge (n) /'dɪstʃɑːdʒ/ 21
coma /'kəʊ.mə/ 27	cry /kraɪ/ 4	discharge (v) /dɪs'tʃɑːdʒ/ 6, 9, 10, 60
comatose /'kəʊ.mə.təʊs/ 27	CSF /'siː es ,ef/ 35	discomfort /dɪs'kʌmp.fət/ 38, 50
come on /,kʌm 'ɒn/ 49	CSU /'siː es ,juː/ 33, 35	discuss with /dɪ'skʌs wɪð/ 54
comfortable /'kʌmp.fə.tə.bl/ 38	cure /kjuːə/ 28	discussion (research) /dɪ'skʌʃ.ən/ 57
comminuted fracture /'kɒ.mɪ.njuː.tɪd ,fræk.tʃə/ 16	curable /'kjʊə.rə.bl/ 24	disorientation /dɪsɔː.ri.ən'teɪ.ʃən/ 51
common /'kɒm.ən/ 44	curative /'kjʊə.rə.tɪv/ 42	dispense /dɪ'spens/ 40
communicability /,kə,mjuː.nɪ.kə.'bɪl.ɪ.ti/ 24	cut (n) /kʌt/ 32	displaced fracture /dɪˌspleɪst 'fræk.tʃə/ 16
community health /kə,mjuː.nə.ti 'helθ/ 8	cut down on /,kʌt 'daʊn ɒn/ 53	dissection /dar'sek.ʃən/ dɪ'sten.dɪd/ 20

district nurse /,dɪs.trɪkt 'nɜːs/ 7, 10	exertion /ɪɡ'zɜːʃn/ 22	Foundation Year 2 doctor (FY2)
divided /dɪ'vɑː.dɪd/ 41	exhausted /ɪɡ'zɔː.stɪd/ 14	/faʊn.deɪ.ʃn ˌjɪə 'tuː ,dɒk.tə/ 6, 12
divorced /dɪ'vɔːst/ 47	exogenous /ɪɡ'zɒdʒ.i.nəs/ 24	fraction /'fræk.ʃn/ 42
dizziness /'dɪz.i.nəs/ 26, 49	expected date of delivery (EDD)	fracture /'fræk.tʃə/ 16
Doctor of Medicine /,dɒk.təʃ əv	/ɪk.spek.tɪd ,deɪt əv dɪ'lɪv.ə.r.i/ 29	frequency (number) /'friː.kwənt.si/
'med.i.sən/ 12	experience /ɪk'sprɪə.rɪ.ənts/ 38	44, 48
dose /dəʊs/ 40	explanation /,ek.splə'nei.ʃn/ 52	frequency (urinary) /'friː.kwənt.si/ 33
double /'dʌb.l/ 55	expose to /ɪk'spəʊz tuː/ 43, 46	friction rub /'frɪk.ʃn ,rʌb/ 23
double blind trial /,dʌb.l 'blaɪnd	exposure to /ɪk'spəʊ.ʒə tuː/ 43, 46	frightened /'fraɪ.tʃnd/ 51
,traɪəl/ 46	expression /ɪk'spreʃ.ʃn/ 27	frozen /'frəʊ.zn/ 45
double vision /,dʌb.l 'vɪʒ.ən/ 26	eyebrow /'aɪ.braʊ/ 19	full blood count (FBC) /,fʊl 'blʌd
down /daʊn/ 35	eyelash /'aɪ.læʃ/ 19	,kaʊnt/ 15
downgoing /'daʊŋɡəʊɪŋ/ 27	eyelid /'aɪ.lɪd/ 19	full registration /'fʊl redʒ.ɪ.streɪ.ʃn/
drainage /'dreɪ.nɪdʒ/ 37	eyesight /'aɪ.sɑɪt/ 8	13
drain /dreɪn/ 41	face-to-face session /feɪs.tə,feɪs	full-term pregnancy /,fʊl.tɜːm
drapes /dreɪps/ 41	'seʃ.ən/ 42	'preg.nənt.si/ 29
dressings /'dres.ɪŋ/ 7, 10, 34, 41	facing /'feɪ.sɪŋ/ 37	functional disorder /'fʌŋk.ʃn.əl
dribbling /'drɪb.lɪŋ/ 33	faecal contamination /,fiː.kəl	dɪ,sɔː.dər/ 25
drooping /'druː.pɪŋ/ 19	kən.tæm.rɪ'nei.ʃn/ 43	gain /geɪn/ 14
drop /drɒp/ 56	faecal occult blood (FOB) /,fiː.kəl	gait /geɪt/ 4, 27
drug abuse /,drʌɡ ə,bjuːs/ 25	,ək.ʌlt 'blʌd/ 20	gall bladder /'ɡɔːl ,blæd.ə/ 3
drug history /,drʌɡ 'hɪs.tər.i/ 47, 48	faeces /'fiː.sɪz/ 4, 20	gel /dʒel/ 38
drug prophylaxis /,drʌɡ	fail to /feɪl tuː/ 57	general health /,dʒen.ər.əl 'helθ/ 1
prɒ.fə'læk.sɪs/ 24	failure to thrive /,feɪ.ljə tə 'θraɪv/ 17	general hospital /,dʒen.ər.əl
drug reaction /,drʌɡ rɪ'æk.ʃn/ 48	faint /feɪnt/ 26	'hɒs.pɪ.təl/ 9
drug /drʌɡ/ 24, 40, 48	fall /fɔːl/ 56	General Medical Council (GMC)
dry cough /,draɪ 'kɒf/ 30	Fallopian tube /fə'ləʊ.pi.ən ,tjuːb/ 21	/,dʒen.ər.əl 'med.i.kəl ,kaʊnt.səl/
duodenum /,djuː.ən 'diː.nəm/ 3	false labour /,fəʊls 'leɪ.bə/ 29	13, 45
duty doctor /'djuː.tɪ ,dɒk.tə/ 10	false negative /,fəʊls 'neg.ətɪv/ 43	general practitioner (GP) /,dʒen.ər.əl
eating disorder /'iːtɪŋ dɪ,sɔː.də/ 25	false positive /,fəʊls 'pɒz.ətɪv/ 43	præk'tɪʃ.ən.əl/ 5, 10
educational supervisor /,ed.ju.keɪ.ʃn.əl	family in need /,fæm.əl.i ɪn 'niːd/ 10	generally /'dʒen.ər.əl.i/ 27
'suː.pə.vaɪ.zə/ 12	family doctor /,fæm.əl.i 'dɒk.tə/ 10	generic name /dʒə'ner.ɪk ,neɪm/ 40
effort /'ef.ət/ 22	family history /,fæm.əl.i 'hɪs.tər.i/	genetic engineering /dʒə'net.ɪk
elbow /'el.bəʊ/ 2	43, 47, 48	en.dʒɪ'nɪə.ɪŋ/ 45
electrocardiogram (ECG)	fatigue /fə'tɪːɡ/ 14, 25	genetic makeup /dʒə'net.ɪk 'meɪk.ʌp/
/ɪ.lek.trə'kɑː.di.ə.græm/ 39	febrile /'fiː.brɪl/ 'fe.brɪl/ 24	45
electrocardiograph	feed through /,fiːd 'θuː/ 36	geriatrician /,dʒer.i.ə'trɪʃ.ən/ 5
/ɪ.lek.trə'kɑː.di.ə.graf/ 39	feedback /,fiːd.bæk/ 18	geriatrics /,dʒer.i.ə't.ɪks/ 5
electrolyte disturbances /ɪ'lek.trə.laɪt	feel /fiːl/ 4, 14	German measles /,dʒɜː.mən 'miː.zlz/
dɪ.stɜː.bəntsɪz/ 39	feeling /'fiː.lɪŋ/ 4, 14	17
elevated /'el.i.veɪ.tɪd/ 35, 39	Fellow /'fel.əʊ/ 12	germ /dʒɜːm/ 24
email /'iː.meɪl/ 10	femtolitre /'femtəliː.tə/ 35	get a warning /,get ə 'wɔː.nɪŋ/ 26
embarrassed /ɪm'bær.əst/ 51	fetal lie /,fiː.təl 'laɪ/ 29	get better /,get 'bet.ə/ 1
embryo /'em.bri.əʊ/ 45	fetal presentation /,fiː.təl	get my breath back /,get maɪ 'breθ
emphasize /'emp.fə.saɪz/ 59	prez.ən'teɪ.ʃn/ 29	bæk/ 30
empty the bladder /,emp.tɪ ðə b'lædə/	fever /'fiː.və/ 24	get over /,get 'əʊ.və/ 1
3	feverish /'fiː.vər.ɪʃ/ 24	get pain in /,get 'peɪn ɪn/ 2
endogenous /en'dɒdʒ.i.nəs/ 24	fibrillation /,fɪbrɪ'leɪ.ʃən/ 22	get periods /,get 'pɪə.ri.ədʒ/ 21
endoscope /'en.də.skəʊp/ 36	figure /'fɪɡ.ə/ 55	get used to /,get 'juːst tuː/ 36
endoscopy /en'dɒs.kə.pi/ 36	filing /'faɪ.lɪŋ/ 10	get worse /,get 'wɜːs/ 1
energy /'en.ə.dʒi/ 51	findings /'faɪn.dɪŋz/ 14, 57	give up /,ɡɪv 'ʌp/ 30, 49, 53
enlarge /ɪn'laːdʒ/ 28	fine tremor /,faɪn 'trem.ə/ 18	glandular fever /,glænd.ju.lə 'fiː.və/
enteroscopy /en.tə'rɒs.kə.pi/ 36	fist /fɪst/ 34	24
epidemiology /,ep.ɪdɪ'mɪ'ɒl.ə.dʒi/ 44	fit /fɪt/ 26, 49	Glasgow Coma Scale (GCS) /,ɡlɑːzɡəʊ
epileptic fit /,ep.ɪ.lep.tɪk 'fɪt/ 26	fit and well /,fɪt ənd 'wel/ 1	'kəʊ.mə ,skeɪl/ 27
episode /'ep.ɪ.səʊd/ 22	fit to practise /fɪt tə 'præktɪs/ 45	glasses /'ɡlɑː.sɪz/ 8
equally /'iː.kwə.li/ 44	fixate /'fɪk.'seɪt/ 34	go down /,ɡəʊ 'daʊn/ 56
erupt /ɪ'rʌpt/ 31	fixation /'fɪk'seɪ.ʃən/ 16	go down to /,ɡəʊ 'daʊn tuː/ 2
erythrocyte sedimentation rate (ESR) /	flaccidity /'flæk.sɪd.ɪ.ti/ 27	go into /,ɡəʊ 'ɪn.tuː/ 2
e,rɪ.θrə.sɑɪt sed.ɪ.men'teɪ.ʃən ,reɪt/	flame-shaped haemorrhage	go to /,ɡəʊ tuː/ 14, 20, 33
15	/'fleɪm.ʃeɪpt 'hemərɪdz/ 19	go up /,ɡəʊ 'ʌp/ 56
euthanasia /,juː.θə'nei.ʒə/ 45	flow /fləʊ/ 33	goitre /'ɡɔɪ.tə/ 18
evaluate /ɪ'væl.ju.eɪt/ 57	follow up /,fɒl.əʊ 'ʌp/ 46	good at /'ɡʊd æt/ 5
evidence /'ev.ɪ.dənts/ 57	forceps (obstetric) /'fɔː.seps/ 29	good with /,ɡʊd wɪð/ 5
example /ɪɡz'ɑːm.pl/ 59	forceps (surgical) /'fɔː.seps/ 41	GP practice team /dʒɪː.piː 'præktɪs
excess /ek'ses/ 18	formed /fɔːmd/ 20	,tɪːm/ 10
excise (v) /ek'saɪz/ 28, 36, 41	foul /faʊl/ 20	gradually /'ɡræd.ju.li/ 56
exclude /ɪk'sklud/ 15	Foundation Programme /faʊn'deɪ.ʃn	graduation /,ɡrædʒ.u'eɪ.ʃən/ 11
exercise tolerance test /,ek.sə.saɪz	,prəʊ.græm/ 6, 11, 12	grams per litre /,ɡræmz pɜː'liː.tə/ 35
'tɒl.ər.ənts ,test/ 39	Foundation Year 1 doctor (FY1) /	grays (Gy) /ɡreɪz/ 42
	faʊn.deɪ.ʃn ˌjɪə 'wʌn ,dɒk.tə/ 6, 12	graze /ɡreɪz/ 32

greater risk /greɪ.tə ˈrɪsk/ 43	include /ɪnˈkluːd/ 15	kneecap ˈniː.kæp/ 2, 16
greenstick fracture ˈɡriːnstɪk ˈfræk.tʃə/ 16	increase (v) /ɪnˈkriːs/ 56	LA 39
groin /ɡroɪn/ 2	increased risk /ɪnˈkriːst ˈrɪsk/ 43	lab results ˈlæb rɪˌzʌltz/ 35
gross /ɡrəʊs/ 33	incubation period /ɪŋ.kjuˈbeɪ.ʃən ˌpɪə.ri.əd/ 24	laboratory /ləˈbɒr.ə.tri/ 34
group practice /ɡruːp ˈpræk.tɪs/ 5	incurable /ɪnˈkjʊə.rə.bl/ 45	laboratory test /ləˈbɒr.ə.tri ˌtest/ 7
grouping ˈɡruː.pɪŋ/ 31	indication /ɪn.drɪˈkeɪ.ʃən/ 40	labour ˈleɪ.bə/ 29
growth /ɡrəʊθ/ 28, 36	induced abortion /ɪn.djuːst əˈbɔː.ʃən/ 29	laceration /ˌlæs.əˈreɪ.ʃən/ 32
guarding /ɡɑːdɪŋ/ 20	induced labour /ɪn.djuːst ˈleɪ.bə/ 29	large bowel /ˌlɑːdʒ ˈbaʊ.əl/ 3
guidelines ˈɡaɪd.laɪnz/ 45	infancy ˈɪn.fənt/ 17	large intestine /ˌlɑːdʒ ɪnˈtes.tɪn/ 3
gynaecologist /ɡaɪ.nəˈkɒl.ə.dʒɪst/ 21	infection /ɪnˈfek.ʃən/ 24	lassitude ˈlæs.ɪ.tjuːd/ 14
haematology lab report /ˌhiː.məˈtɒl.ə.dʒi ˈlæb rɪˌpɔːt/ 35	infectious disease /ɪnˈfek.ʃəs drɪˈziːz/ 17, 24	last menstrual period (LMP) /ˌlɑːst ˌmen.strəl ˈpiː.ri.əd/ 21, 29
hallucination /həˌluː.sɪˈneɪ.ʃən/ 51	infertility period /ɪnfekˈtɪv.ɪ.ti ˌpiː.ri.əd/ 24	laxative ˈlæk.sə.tɪv/ 48
headache ˈhed.eɪk/ 49	infiltration /ɪnˈfɪlˈtreɪ.ʃən/ 41	lay terms ˈleɪ ˌtɜːmz/ 52
health ˈhelθ/ 1	inflated /ɪnˈfleɪ.tɪd/ 37	lead to ˈliːd tu/ 44
health centre ˈhelθ ˌsen.tə/ 5	informed consent /ɪnˈfɔːmd kənˈsent/ 36	leaking ˈliːkɪŋ/ 33
health visitor ˈhelθ ˌvɪz.ɪ.tə/ 7, 10	inhibit /ɪnˈhɪb.ɪt/ 18	lecture ˈlek.tʃə/ 11
healthy ˈhel.θi/ 1	injection /ɪnˈdʒek.ʃən/ 7	lecturer ˈlek.tʃər.ər/ 12
heart ˈhɑːt/ 3	inpatient ˈɪn.peɪ.ʃənt/ 9	left heart failure /ˌleft ˌhɑːt ˈfeɪ.ljə/ 22
heart failure ˈhɑːt ˌfeɪ.ljə/ 22	IMRaD structure ˈɪmrəd ˌstrʌktʃə/ 57	left lateral position /ˌleft ˈlæt.rəl pəˈzɪʃ.ən/ 36
heart rate ˈhɑːt ˌreɪt/ 22, 39	insert through /ɪnˈsɜːt θruː/ 36	leg /leg/ 2
heart rhythm /ˌhɑːt ˈrɪð.əm/ 22	insidious /ɪnˈsɪd.i.əs/ 15	Legionnaires' disease /liː.dʒənˈeəz dɪˌziːz/ 24
heat intolerance ˈhiːt ɪnˈtɒl.əˈnts/ 18	inspection /ɪnˈspek.ʃən/ 23	lesion /liː.ʒən/ 31
heavy periods /ˌhev.i ˈpiː.ri.əd/ 21	instructions /ɪnˈstrʌk.ʃnz/ 50	less common than /les kɒm.ən ðæn/ 44, 55
hepatic disease /hepˈæt.ɪk dɪˌziːz/ 3	Intensive Care Unit (ICU) /ɪnˈtent.sɪvˈkeə ˌjuː.nɪt/ 9	lethargy ˈleθ.ə.dʒi/ 14
herbal remedy /ˌhɜː.bəl ˈrem.ə.di/ 48	intercostal space /ɪnˈtə.kɒstəl ˈspeɪs/ 23	lid lag ˈlɪd ˌlæɡ/ 19
hesitancy ˈhez.ɪ.tənt.sɪ/ 33	interested in ˈɪn.tə.es.tɪd ɪn/ 5	lifestyle change ˈlaɪf.staɪl ˌtʃeɪndʒ/ 52
high ˈhaɪ/ 35, 44	internal medicine /ɪnˈtɜː.nəl ˌmed.ɪ.sən/ 5	ligature ˈlɪɡ.ə.tʃə/ 41
high risk ˈhaɪ ˌrɪsk/ 43	intervention /ɪnˈtəˌven.ʃən/ 37, 57	light-headedness /ˌlaɪtˈhed.ɪd.nəs/ 26
high-frequency sound wave /haɪˌfriː.kwənt.sɪ ˈsaʊnd ˌweɪv/ 38	intestine /ɪnˈtes.tɪn/ 3	limb /lɪm/ 2
highest ˈhaɪ.əst/ 44	intraocular pressure /ɪnˈtrəʊk.ju.lə ˈpref.ə/ 8	limb leads ˈlɪm ˌliːdz/ 39
hip ˈhɪp/ 2	intrauterine device (IUD) /ɪnˈtrə.ju.təri.əm drɪˈvaɪs/ 21	limitation /ˌlɪm.ɪˈteɪ.ʃən/ 57
hip replacement ˈhɪp rɪˌpleɪs.mənt/ 42	introduce into /ɪnˈtrəˈdjuːs ˈɪn.tuː/ 36	limited registration ˈlɪm.ɪ.tɪd redʒ.ɪˌstreɪ.ʃən/ 13
history taking ˈhɪs.tər.i ˌteɪkɪŋ/ 13, 47, 48, 49	introduction (research) /ɪnˈtrəˈdʌk.ʃən/ 57	line graph ˈlaɪn ˌɡrɑːf/ 56
hold (your breath) /həʊld/ 37	invade /ɪnˈveɪd/ 28	listing /lɪstɪŋ/ 59
home visit ˈhəʊm ˌvɪz.ɪt/ 10	invasion /ɪnˈveɪ.ʒən/ 28	litres per litre /ˌliː.təz pɜː ˈliː.tə/ 35
homeopathic medicine /həʊ.mi.əpəθ.ɪk ˌmed.ɪ.sən/ 48	invasiveness /ɪnˈveɪ.sɪvnəs/ 28	live with ˈlɪv wɪð/ 47
hormone ˈhɔː.məʊn/ 18	investigate /ɪnˈves.tɪˌɡeɪt/ 57	liver disease ˈlɪv.ə dɪˌziːz/ 3
hospice ˈhɒs.pɪs/ 45	investigation /ɪnˈves.tɪˌɡeɪ.ʃən/ 6	LL 39
hospital ˈhɒs.pɪ.təl/ 6, 9	involuntary movement /ɪnˈvɒl.ən.tɪ ˈmuːv.mənt/ 26, 27	lobe /ləʊb/ 3
hospital department /ˌhɒs.prɪ.təl drɪˈpɑːt.mənt/ 9	iris ˈaɪ.rɪs/ 19	local anaesthetic /ləʊ.kəl æn.əsˈθet.ɪk/ 36
hospital staff ˈhɒs.prɪ.təl stɑːf/ 6	iron deficiency ˈaɪən dɪˌfɪ.ʃənt.sɪ/ 15	localized ˈləʊ.kəl.aɪzd/ 31
hot flushes /hɒt flʌʃz/ 21	irregular ˈɪreg.jə.lə/ 22, 23, 31	lockjaw ˈlɒk.dʒəʊ/ 17
house officer /haʊs ˈɒf.ɪ.sə/ 6, 12	irritation /ɪr.ɪˈteɪ.ʃən/ 40	locum GP /ˌləʊ.kəm dʒɪˈpiː/ 10
housing ˈhaʊ.zɪŋ/ 48	jaundice ˈdʒəʊ.n.dɪs/ 15	longitudinal lie /ˌlɒn.ɡɪ.tjuː.dɪ.nəl ˈlaɪ/ 29
human fertility ˈhjuː.mən fəˈtɪl.ɪ.ti/ 45	jaw /dʒəʊ/ 2	longitudinal study /ˌlɒn.ɡɪ.tjuː.dɪ.nəl ˈstʌd.i/ 46
hungry ˈhʌŋ.ɡri/ 4	jaw bone /dʒəʊ ˌbəʊn/ 16	lose (weight) /luːz/ 14
hurt /hɜːt/ 50	jelly ˈdʒel.i/ 36	lose (control) /luːz/ 26, 33
husband ˈhʌz.bənd/ 47	jugular venous pressure (JVP) /ˌdʒʌɡ.ju.lə ˌviː.nəs ˈpref.ə/ 23	loss (weight) /lɒs/ 14
hyperthyroidism /ˌhaɪ.pəˈθaɪr.ɔɪ.dɪz.əm/ 18	just under ˈdʒʌst ˌʌn.də/ 55	loss of control /ˌlɒs əv kənˈtrəʊl/ 26, 33
hypothyroidism /ˌhaɪ.pəˈθaɪr.ɔɪ.dɪz.əm/ 18	keen for ˈkiːn fɔː/ 54	low (level) /ləʊ/ 35, 44
illusion ˈɪluː.ʒən/ 51	keep still ˌkiːp ˈstɪl/ 37	low (mood) /ləʊ/ 51
image channel ˈɪm.ɪdʒ ˌtʃæ.nəl/ 36	keep taking ˈkiːp ˌteɪ.kɪŋ/ 53	lower limb /ləʊ.ə lɪm/ 2
imaging ˈɪm.ɪdʒɪŋ/ 38	kidney ˈkɪd.ni/ 3	lowest ˈləʊ.əst/ 44
immunization /ɪm.ju.naɪˈzeɪ.ʃən/ 43	knee ˈniː/ 2	lubricate ˈluː.briˌkeɪt/ 36
impacted fracture ɪmˈpæk.tɪd ˌfræk.tʃə/ 16		lump /lʌmp/ 28, 31
implant ˈɪmplɑːnt/ 42		lung /lʌŋ/ 3
improve ˈɪmˈpruːv/ 1		magnetic resonance imaging (MRI) /ˌmæɡ.net.ɪk ˈrez.ən.ənts ˌɪmɪdʒ.ɪŋ/ 38
in vitro fertilization (IVF) /ɪn ˌvɪtro fɜː.tɪ.laɪˈzeɪ.ʃən/ 45		
incidence ˈɪnt.sɪ.dənt s/ 44		
incised wound ɪnˈsaɪzd ˌwuːnd/ 32		
incision ɪnˈsɪʒ.ən/ 36, 41		



main outcome measure (research) /ˌmeɪn ˈaʊt.kʌm ˌmeʒ.ə/ 58	minor surgery /ˌmaɪ.nə ˈsɜː.dʒər.i/ 10	occupational therapist (OT) /ˌɒk.juː.ˌpeɪ.ʃən.əl ˈθer.ə.pɪst/ 8
major depression /ˌmeɪ.dʒə dɪˈpre.ʃən/ 25	miscarriage /ˈmɪskær.ɪdʒ/ 29	off my food /ˌɒf maɪ ˈfuːd/ 14
make a recovery /ˌmeɪk ə rɪˈkʌv.ər.i 1	miserable /ˈmɪz.ər.ə.bl/ 51	off-colour /ˌɒfˈkʌl.ə/ 14
malabsorption /ˌmæl.əˈbzɔːp.ʃən/ 17	mitral area /ˌmɪt.rəl ˈeə.ri.ə/ 23	offensive /əˈfent.sɪv/ 20
malaise /ˈmæˈleɪz/ 14	mitral valve replacement /ˌmɪt.rəl ˌvæl.v rɪˈpleɪs.mənt/ 22	on call /ɒn ˈkɔːl/ 6
malignancy /məˈlɪɡ.nənt.sɪ/ 28	mobilized /ˈməʊ.bɪ.laɪzd/ 41	on duty /ɒn ˈdʒuː.ti/ 9
malignant neoplasm /məˈlɪɡ.nənt ˈniː.əs.plæz.əm/ 28	mole /məʊl/ 31	on examination /ɒn ɪɡ.zæm.ɪˈneɪ.ʃən/ 60
malnutrition /ˌmæl.njuːˈtri.ʃən/ 17	monthly period /ˌmʌnt.θli ˈpɪə.ri.əd/ 4	onset /ˈɒn.set / 15, 21
mammography /məˈmɒɡ.rə.fi/ 43	mood /muːd/ 25, 51	open fracture /ˈəʊ.pən ˌfræk.tʃə/ 16
management plan /ˈmæn.ɪdʒ.mənt ˌplæn/ 52	more common than /mɔː kɒ.mən ðæn/ 44	open-ended question /ˌəʊ.pən.en.dɪd ˈkwes.tʃən/ 49
manikin /ˈmæn.ə.kɪn/ 13	morning surgery /ˌmɔː.nɪŋ ˈsɜː.dʒər.i/ 10	operating theatre /ˈɒp.ər.ertɪŋ ˌθiət.ə/ 41
manipulation /ˌmænɪp.juˈleɪ.ʃən/ 42	motor function /ˈməʊ.tən ˌfʌŋk.ʃən/ 26	operation /ˌɒp.ər.ɪ.ʃən/ 41
marked /mɑːkt/ 33	motor loss /ˈməʊ.tə ˌlɒs/ 26	operation report /ˌɒp.ər.ɪ.ʃən rɪ.pɔːt/ 41
married /ˈmæ.rɪd/ 47	motor system /ˈməʊ.tə ˌsɪs.təm/ 27	ophthalmologist /ˌɒf.θælˈmɒl.ə.dʒɪst/ 8
mass /mæs/ 28	MSU 33, 35	ophthalmoscopy /ˌɒf.θælˈmɒs.kə.pi/ 34, 43
mass screening /ˌmæs ˈskriː.nɪŋ/ 43	mucoid /ˈmjuː.kɔɪd/ 30	optician /ˈɒp.tɪʃ.ən/ 8
massage /ˈmæs.ɑːdʒ/ 8, 42	muddled /ˈmʌd.lɪd/ 51	oral contraceptive pill /ˌɔː.rəl kɒn.trəˈsep.tɪv ˌpɪl/ 21
masses /ˈmæsɪz/ 20	multidisciplinary team /ˌmʌl.tɪ.dɪs.əˈplɪn.ər.i ˌtiːm/ 6	organic disorder /ˌɔːˈɡæən.ɪk dɪ.sɔː.də/ 25
matron /ˈmeɪ.trən/ 7	multiple lesions /ˌmʌl.tɪ.pl ˈliː.zən/ 31	organ /ˈɔː.ɡən/ 3
measles /ˈmiː.zl/ 17	mumps /ˈmʌmps/ 17	orifice /ˈɒr.ɪ.fɪs/ 36
medical education /ˌmed.ɪ.kəl ed.juˈkeɪ.ʃən/ 11	murmur /ˈmɜː.mər/ 23	orthosis /ˌɔːˈθəʊ.sɪs/ 8
medical ethics /ˌmed.ɪ.kəl ˈeθ.ɪks/ 45	muscle bulk /ˈmʌs.l ˌbʌlk/ 27	orthotist /ˌɔːˈθə.tɪst/ 8
medical history /ˌmed.ɪ.kəl ˈhɪs.tər.i/ 6	muscle power /ˈmʌs.l ˌpaʊə/ 27	oscillation /ˌɒs.ɪˈleɪ.ʃən/ 19
medical practitioner /ˌmed.ɪ.kəl prækˈtɪʃ.ən.əl/ 5	muscle tone /ˈmʌs.l ˌtəʊn/ 27	out of sorts /ˌaʊt əv ˈsɔːts/ 14
medical qualifications /ˌmed.ɪ.kəl kwɒl.ɪ.fɪˈkeɪ.ʃən/ 12	nasal cannula /ˌneɪ.zəl ˈkæn.ju.lə/ 36	out of work /ˌaʊt əv ˈwɜːk/ 47
medical school /ˌmed.ɪ.kəl ˌskuːl/ 11, 12	National Health Service (NHS) /ˌnæʃ.ən.əl ˈhelθ ˌsɜː.vɪs/ 10	out-of-hours (OOH) treatment /ˌaʊt əv ˈaʊəz ˌtriːt.mənt/ 10
medication /ˌmed.ɪˈkeɪ.ʃən/ 48	nauseous /ˈnɔː.zi.əs/ 4	outbreak /ˌaʊt.breɪk/ 24
Member /ˈmem.bər/ 12	navel /ˈneɪ.vəl/ 2	Outpatient Department (OPD) /ˌaʊt.peɪ.jənt dɪ.pɑːt.mənt/ 9
menopause /ˈmen.ə.pəʊz/ 21	nearly /ˈnɪə.li/ 55	ovary /ˈəʊ.vər.i/ 21
menstrual cycle /ˈmen.strəl ˌsaɪ.kl/ 21	neck /nek/ 2	over /əʊ.vər/ 50
menstrual period /ˌmen.strəl ˈpɪə.ri.əd/ 4, 21	neck of womb /ˌnek əv ˈwuːm/ 21	over-the-counter remedy /ˌəʊ.və ðəˈkaʊn.tə ˌrem.ə.dɪ/ 48
menstruation /ˌmen.struˈeɪ.ʃən/ 21	neoplasm /ˈniː.əʊplæzəm/ 28	overactive /ˌəʊ.vərˈækt.tɪv/ 18
mental illness /ˌmen.təl ˈɪl.nəs/ 25	neurosurgery /ˈnjuːr.əs.ɜː.dʒər.i/ 5	overseas doctor /əʊ.vəˈsɪz ˌdɒk.tər/ 13
mental retardation /ˌmen.təl rɪː.təːˈdeɪ.ʃən/ 25	neurotic disorder /ˌnjuːrət.ɪk dɪˈsɔː.də/ 25	overseas elective /əʊ.vəˈsɪz ɪˈlek.tɪv/ 11
mental state examination /ˌmen.təl ˈsteɪt ɪɡzæm.ɪˈneɪ.ʃən/ 51	new admission /ˌnjuː ədˈmɪʃ.ən/ 6	pacemaker /ˈpeɪs.meɪ.kər/ 38
message /ˈmes.ɪdʒ/ 10	night sweats /ˈnaɪt ˌswets/ 21	pain /peɪn/ 4, 47
metallic object /məˈtæl.ɪk ˈɒb.dʒɪkt/ 38	nil /nɪl/ 33	painless lump /ˌpeɪn.ləs ˈlʌmp/ 28
metastasis /ˌmætəˈstæsɪs/ 28	nipping /ˈnɪpɪŋ/ 19	palliative care /ˌpæl.i.ə.tɪv ˌkeə/ 45
methods (research) /ˌmeθ.əd/ 57	non-infectious /ˌnɒn.ɪnˈfek.ʃəs/ 24	palliative treatment /ˌpæl.i.ə.tɪv ˌtriːt.mənt/ 28, 42
microbe /ˈmaɪ.krəʊb/ 24	non-invasive /ˌnɒn.ɪnˈveɪ.sɪv/ 38	pallor /ˈpæl.ər/ 15
microbiology request form /ˌmaɪ.krəʊ.baɪˈɒl.ə.dʒɪ rɪkˈwest ˌfɔːm/ 35	non-prescription medicines /ˌnɒn.pri.skɪp.ʃən ˌmed.ɪ.sanz/ 40	palpable /ˌpæl.pə.bl/ 15, 20, 28
micromols per litre /ˌmaɪ.krəʊmɒlz pɜː ˈliː.tər/ 35	non-productive /ˌnɒnprəˈdʌk.tɪv/ 30	palpate /ˌpælˈpeɪt/ 20, 23
microorganism /ˌmaɪ.krəʊˈɔː.ɡən.ɪ.zəm/ 24	normal (results) /ˈnɔː.məl/ 35	palpation /ˌpælˈpeɪ.ʃən/ 23
midclavicular line /ˌmɪd.kləˈvɪk.ju.lə ˈlaɪn/ 23	normal (reflex) /ˈnɔː.məl 27	palpitations /ˌpæl.pɪˈteɪ.ʃən/ 18, 22
midstream specimen (MSU) /ˌmɪdstriːm ˌspes.ə.mɪn/ 33	NP (secretions) 35	pancreas /ˈpæŋ.kri.əs/ 3
midwife /ˈmɪd.waɪf/ 10	numbness /ˈnʌm.nəs/ 4, 26, 49	panic attack /ˈpæn.ɪk əˈtæk/ 25
mild /maɪld/ 15	nurse manager /ˌnɜːs ˈmæn.ɪ.dʒər/ 7	panicky /ˈpæn.ɪ.ki/ 51
milestone /ˈmaɪl.stəʊn/ 17	nursing auxiliary /ˌˈnɜː.sɪŋ əˈɡːzɪl.i.ər.i/ 7	paralysis /ˌpəˈræl.əsɪs/ 26
millimols per litre /ˌmɪl.ɪmɒlz pɜː ˈliː.tər/ 35	nursing grades /ˌˈnɜː.sɪŋ ɡreɪd/ 7	paramedic /ˌpær.əˈmed.ɪk/ 8
	Objective Structured Clinical Examination (OCSE) /əbˌdʒek.tɪv ˌstrʌk.tʃənrd ˌkɪn.ɪ.kəl ɪɡ.zæm.ɪˈneɪ.ʃən/ 13	parasite /ˌpær.əˈsaɪt/ 24
	objectives (research) /əbˌdʒek.tɪv/ 58	participant /ˌpɑːtɪs.ɪ.pənt/ 57
	obsession /əbˈseʃ.ən/ 25	partner /ˈpɑːt.nər/ 47
	obsessional /əbˈseʃ.ən.əl/ 51	pass /pɑːs/ 4, 20, 33
	obsessive compulsive disorder /əbˌses.ɪv kəmˈpʌl.sɪv dɪˌsɔː.də/ 25	pass down /ˈpɑːs ˌdaʊn/ 36
	obstruct /əbˈstrʌkt/ 28	pass out /ˈpɑːs ˌaʊt/ 26
	obtain /əbˈteɪn/ 13, 36	
	occupation /ˈɒk.juˈpeɪ.ʃən/ 48	

passage of clots /,pæs.ɪdʒ əv 'klɒts/ 21	practice nurse /,præk.tɪs 'nɜːs/ 10	psychomotor retardation /,saɪ.kəʊməʊ.tə rɪː.təː'deɪ.ʃən/ 25
past medical history (PMH) /,pɑːst ,med.ɪ.kəl 'hɪs.tər.i/ 47	practise /'præk.tɪs/ 5	puberty /'pjʊː.bə.ti/ 17
patient care /,peɪ.ʃənt 'keə/ 7	pre-booked /'priː'bʊkt/ 10	pulse oximeter /,pʌls ɒk.'sɪmi.tə/ 36
patient ideas, concerns and expectations (ICE) /,peɪ.ʃənt.aɪ.dɪəz kən,sɜːnz ənd ,ek.spek'teɪ.ʃənz/ 47, 49	pre-registration house officer (PRHO) /,priːredʒ.ɪ.streɪ.ʃən 'haʊs ,ɒf.ɪ.sə/ 6, 12	pulse rate /'pʌls ,reɪt/ 7, 23
peak /piːk/ 56	pregnancy /'preg.nənt.sɪ/ 21, 29, 38	pulse rhythm /,pʌls 'rɪð.əm/ 23
pee /piː/ 33	prejudice /'predʒ.ʊ.dɪs/ 45	pupil /'pjʊː.pəl/ 19, 34
pelvis /'pel.vɪs/ 3	premature (baby) /'prem.ə.tʃə/ 29	purulent /'pjʊərəl.ənt/ 30
penetrating wound /'pen.ɪ.treɪ.tɪŋ ,wuːnd/ 32	premature beats /,prem.ə.tʃə 'biːts/ 22	pus /pʌs/ 31
pensioner /'pent.ʃən.ə/ 47	premature labour /,prem.ə.tʃə 'leɪ.bə/ 29	pushed out /,pʊʃt 'aʊt/ 37
percuss /pə'kʌs/ 20	premedication /,priː.med.ɪ'keɪ.ʃən/ 36	pustular /'pʌs.tjuːlə/ 31
perform /pə'fɔːm/ 7, 10	prepping the patient /,prepiŋ ðə 'peɪ.ʃənt/ 41	pustule /'pʌs.tjuːl/ 31
period pain /'piə.ri.əd ,peɪn/ 21	prescribe /'priːskraɪb/ 7, 40	put on /,pʊt 'ɒn/ 14, 49
periods /'piə.ri.ədz/ 4, 21	prescription charge /'priːskrɪp.ʃən ,tʃɑːdʒ/ 10	pyrexia of unknown origin (PUO) /,paɪ.rek.si.ə əv ən,nəʊn 'ɒr.ɪ.dʒɪn/ 24
peripheral oedema /pə'rɪf.ə'ri.əl ə'diːmə/ 22	prescription /'priːskrɪp.ʃən/ 10, 40	pyrexial /paɪ'rek.siəl/ 24
pernicious anaemia /pə'nɪf.əs ə'niː.mi.ə/ 15	present (complaint/symptom) /'priːzent/ 14, 47, 60	qualified /'kwɒl.ɪ.faid/ 5
persistent vegetative state /,pə'sɪs.tənt 'vedʒ.ɪ.te.tɪv ,steɪt/ 45	present (case) /'priːzent/ 60	question time /'kwes.tʃən ,taɪm/ 52
person-to-person contact /,pɜː.sən.tə.pɜː.sən 'kɒn.tækt/ 43	presentation (childbirth) /,prez.ən'teɪ.ʃən/ 29	RA 39
personal details /,pɜː.sən.əl 'diː.teɪl/ 47	presentation (complaint/symptom) /,prez.ən'teɪ.ʃən/ 14	radial pulse /'reɪ.di.əl ,pʌls/ 23
personal habits /,pɜː.sən.əl 'hæb.ɪts/ 48	presentation (conference/case) /,prez.ən'teɪ.ʃən/ 59, 60	radiation /,reɪ.di'ei.ʃən/ 37, 38
personal history /,pɜː.sən.əl 'hɪs.tər.i/ 47, 48	preserve /'priːzɜːv/ 41	radio pager /,reɪ.di.əʊ 'peɪ.dʒə/ 6
personality disorder /,pɜː.sən'æl.ə.tɪ dɪ,sɔː.də/ 25	pressure sore /'pref.ə ,sɔː/ 32	radiographer /,reɪ.di'ɒg.rə.fə/ 37
pharmacist /'fɑː.mə.sɪst/ 40	prevalence /'prev.əl.ənts/ 44	radiography /,reɪ.di'ɒg.rə.fi/ 37
pharmacy /'fɑː.mə.si/ 40	primary care /,praɪ.mə.ri 'keə/ 10	radiologist /,reɪ.di'ɒl.ə.dʒɪst/ 42
phlebotomist /'fle'bɒt.əm.ɪst/ 34	primary tumour /,praɪ.mə.ri 'tjuː.mə/ 28	radiology /,reɪ.di'ɒl.ə.dʒi/ 37
phlegm /'flem/ 30	private health care /,praɪ.vət 'helθ ,keə/ 5	radiolucent /,reɪ.di.əʊ'luː.sənt/ 37
physical examination /,fɪz.ɪ.kəl ɪg.zæm.ɪ'nei.ʃən/ 50	problem /'prɒb.ləm/ 4	radiopaque /,reɪ.di.əʊpeɪk/ 37
physician /'fɪ.zɪ.ʃən/ 5	problem-based learning /,prɒb.ləm.beɪst 'lɜː.nɪŋ/ 11	radiotherapy /,reɪ.di.əʊ'ter.ə.pi/ 42
physiotherapist /,fɪz.i.əʊ'ter.ə.pɪst/ 8, 10, 42	procedure /'prəʊ.sɪː.dʒə/ 37	raised /reɪzd/ 35
pick up /,pɪk 'ʌp/ 24	prodromal symptom /prəʊ,drəʊ məl 'sɪmp.təm/ 26	randomized controlled trial /,ræn.dəmaɪzd kən'trəʊld ,traɪəl/ 46
pie chart /'paɪ ,tʃɑːt/ 56	productive /prə'dʌk.tɪv/ 30	rapidly /'ræp.ɪd.li/ 56
pin /pɪn/ 16	Professional and Linguistic Assessments Board (PLAB) /,prə'feʃ.ən.əl ənd lɪŋ,gwɪs.tɪk ə'ses.mənts ,bɔːd/ 13	rare /reə/ 15, 44
pins and needles /,pɪnz ənd 'niː.dl,z/ 26	professional competence /,prə'feʃ.ən.əl 'kɒm.pɪ.tənts/ 45	rash /ræʃ/ 31
pitting oedema /'pɪtɪŋ ə'diːmə/ 22	professor /prə'fes.ə/ 12	rate /reɪt/ 44
placement /'pleɪs.mənt/ 12	prognosis /prɒg'nəʊ.sɪs/ 52	react /ri'ækt/ 19
plane /pleɪn/ 38	progressive /prə'gres.ɪv/ 15	reagent strip /riː'ei.dʒənt ,striːp/ 33
plantar reflex /,plæn tɑː 'riː.fleks/ 27	prolonged labour /prə'lɒŋd 'leɪ.bə/ 29	rebound tenderness /'riː.baʊnd ,ten.dənəs/ 20
plaster of Paris cast /,plɑː.stər əv ,pær.ɪs 'kɑːst/ 16	prolonged period /prə'lɒŋd 'piə.ri.əd/ 21	receptionist /rɪ'sep.ʃən.ɪst/ 10
plate and screws /,pleɪt ənd 'skruːz/ 16	promote /prə'məʊt/ 16	record /rɪ'kɔːd/ 39
platelet /'pleɪt.lət/ 15	proprietary name /prə'praɪ.ə.tri ,neɪm/ 40	recovery /rɪ'kʌv.ər.i/ 1
placebo /plə'siː.bəʊ/ 46	prospective /prə'spek.tɪv/ 46	recovery area /rɪ'kʌv.ər.i ,eə.ri.ə/ 36
pleural rub /,pluə.rəl 'rʌb/ 30	prosthesis /prɒs.'θiː.sɪs/ 8	recreation /,rek.rɪ'ei.ʃən/ 48
podiatrist /pə'daɪ.ə.trɪst/ 8	prosthetist /'prɒ.θə.tɪst/ 8	recuperate /rɪ'kʊː.pər.eɪt/ 36
polio /'pəʊ.li.əʊ/ 17	provisional registration /prə'vɪʒ.ən.əl redʒ.ɪ.streɪ.ʃən/ 13	red blood cells /,red 'blʌd ,selz/ 15
polyp /'pɒl.ɪp/ 36	psychiatric disorder /,saɪ.ki'æt.rɪk dɪ'sɔː.də/ 25, 51	reduce /rɪ'djuːs/ 16, 35
poorly /'pɔː.li/ 1	psychomotor agitation /,saɪ.kəʊməʊ.tə ədʒ.ɪ'teɪ.ʃən/ 25	reduction /rɪ'dʌk.ʃən/ 16
position /pə'zɪʃ.ən/ 38		redundant tissue /rɪ,dʌn.dənt 'tɪʃ.uː/ 41
post-traumatic stress disorder /,pəʊst.trəʊ,mæt.ɪk 'stres dɪ,sɔː.də/ 42		refer /rɪ'fɜː/ 9, 10, 54
postgraduate training /,pəʊst.grædʒ.u.ət 'treɪ.nɪŋ/ 11		reference /'ref.ə.nts/ 57
postmature (baby) /,pəʊst.mə'tʃʊə/ 29		referral /rɪ'fɜː.rəl/ 10, 38, 42
practice manager /,præk.tɪs 'mæn.ɪ.dʒə/ 10		referral letter /rɪ'fɜː.rəl ,let.ə/ 9
		reflex /'riː.fleks/ 27
		reflex hammer /'riː.fleks ,hæm.ə/ 27
		register (GMC) /'redʒ.ɪ.stə/ 5
		registered /'redʒ.ɪ.stəd/ 5
		registration /,redʒ.ɪstreɪ.ʃən/ 13
		regular /'reg.ju.lə/ 14, 21, 22, 23, 31
		regular in outline /'reg.ju.lər ɪn ,aʊt.laɪn/ 19
		rehabilitate /,riː.hə'bɪl.ɪ.teɪt/ 42
		rehabilitation /,riː.hə'bɪl.ɪ'teɪ.ʃən/ 8, 42
		relapse /'riː.læps/ 1, 42
		release /rɪ'liːs/ 18
		relevant past history /,rel.ə.vənt ,pɑːst 'hɪs.tər.i/ 60

relieve pain /rɪ.li:v 'peɪn/ 8	sensation /sen'seɪ.fən/ 4	speciality /'speʃ.əl.ti/ 5
remain positive /rɪ.meɪn 'pɒz.ə.tɪv/ 54	senses /'sent.sɪz/ 4	specimen /'spes.ə.mɪn/ 33
remain the same /rɪ.meɪn ðə 'seɪm/ 56	sensitivity /,sent.sɪ'tɪv.ɪ.ti/ 17	specimen tube /'spes.ə.mɪn tju:b/ 34
remission /rɪ'mɪʃ.ən/ 1	sensory loss /'sent.sɔːr.i ,ləs/ 26	spectacles /'spek.tɪ.klɪz/ 8
remove /rɪ'mu:v/ 28	separated /'sep.əɪ.tɪd/ 47	speech /spi:tʃ/ 4
repair /rɪ'peə/ 41	serial chest X-rays /,sɪə.ri.əl 'tʃest ,eks.reɪz/ 37	sphygmomanometer /,sfɪɡ.məʊ.mə'nɒm.ɪ.tə/ 34
repeat prescription /rɪ'pi:t prɪskrɪp.ʃən/ 10	setting /'set.ɪŋ/ 58	spine /spain/ 16
replacement therapy /rɪ'pleɪs.mənt ,θer.ə.pi/ 18	settle /'set.l/ 53	spleen /splɪn/ 3
represent /,rep.rɪ'zent/ 56	severe /sɪ'vɪə/ 15	splint /splɪnt/ 8, 16
research article /rɪ'sɜ:tɪʃ ,ɑː.tɪ.kl/ 57	shaft /ʃɑ:ft/ 36	spontaneous abortion /spɒn,teɪ.ni.əs ə'bɔː.ʃən/ 29
research study /rɪ'sɜ:tɪʃ ,stʌd.i/ 46	shake /ʃeɪk/ 4	spontaneous labour /spɒn,teɪ.ni.əs 'leɪ.bə/ 29
respond /rɪ'spɒnd/ 60	sharp force /'ʃɑ:p ,fɔ:s/ 32	spontaneous vaginal delivery (SVD) /spɒn,teɪ.ni.əs və,dʒaɪ.nəl dɪ'lvɪ.ər.i/ 29
response /rɪ'spɒns/ 37	sharply /'ʃɑːpli/ 56	spot /spɒt/ 31
resting heart rate /'restɪŋ ,hɑ:t ,reɪt/ 22	sharpsh /'ʃɑ:ps/ 13	spouse /spaʊs/ 47, 48
restless /'rest.ləs/ 51	sharpsh bin /'ʃɑ:ps ,bɪn/ 13	spread /spred/ 28
results (research) /rɪ'zʌltz/ 57, 58	shifting dullness /,ʃɪf.tɪŋ 'dʌl.nəs/ 20	sputum /'spjuː.təm/ 30
retinopathy /,ret.ɪ.n'ɒp.ə.θi/ 19	shift /ʃɪft/ 6	squint /skwɪnt/ 19
retired /rɪ'taɪəd/ 47	shin /ʃɪn/ 2	stab wound /'stæb ,wu:nd/ 32
retrospective /,ret.rəʊ'spek.tɪv/ 46	shinbone /'ʃɪn.bəʊn/ 16	staff /stɑ:f/ 6, 10
reveal /rɪ'vi:l/ 38	shortness of breath on exercise (SOBOE) /,ʃɔ:t.nəs əv ,breθ ɒn 'ek.sə.səɪz/ 22	staff nurse /'stɑ:f ,nɜ:s/ 7
review of systems /rɪ,vju: əv 'sɪs.təmz/ 47, 49	shoulder /'ʃəʊl.də/ 2	stand sideways /,stænd 'saɪd.weɪz/ 37
rheumatic fever /ruː,mæt.ɪk 'fiː.və/ 17	shoulder blade /'ʃəʊl.də ,bleɪd/ 16	staple /'steɪ.pl/ 41
rib /rɪb/ 16	show /ʃəʊ/ 38, 57, 60	start /stɑ:t/ 2, 54
right heart failure /,raɪt ,hɑ:t 'feɪ.ljə/ 22	sickness /'sɪk.nəs/ 1	station /'steɪ.ʃən/ 13
rigid endoscope /'rɪdʒ.ɪd ,en.dəskəʊp/ 36	side-effect /'saɪd ɪ,fekt/ 40, 48	statistical analysis /stə'tɪs.tɪ.kəl ə'næl.ə.sɪs/ 57
rigidity /rɪ'dʒɪd.ɪ.ti/ 20	sight /saɪt/ 4	stature /'stætʃ.ə/ 17
rigors /'rɪɡ.ə'z/ 24	signalling /sɪɡ.nəlɪŋ/ 59	stay still /steɪ stɪl/ 38
ringing /'rɪŋɪŋ/ 26, 49	signs /saɪnz/ 14	steadily /'sted.ɪ.li/ 56
rise /raɪz/ 56	silver wiring /,sɪl.və 'waɪə.rɪŋ/ 19	steeply /'stiːpli/ 56
risk /rɪsk/ 36, 43, 45	single /'sɪŋɡl/ 47	steps taken /,steps 'teɪ.kən/ 57
risk factor /'rɪsk ,fækt.ə/ 46	sinus /'saɪ.nəs/ 39	sterile conditions /,ster.aɪl kən'dɪʃ.ən/ 41
RL 39	sister /'sɪs.tə/ 7	stethoscope /'steθ.ə.skəʊp/ 34
rota /rəʊ.tə/ 6	skipped heartbeat /,skɪpt 'hɑ:t.bi:t/ 39	stillborn /,stɪl'bɔːn/ 29
roughly /rʌf.li/ 55	skull /skʌl/ 16	stimulate /'stɪm.ju.leɪt/ 18
rounded /raʊn.dɪd/ 55	sleep disturbance /,sli:p dɪ'stɜː.bəns/ 25	stitches /'stɪtʃɪz/ 41
run /rʌn/ 10	sleeping sickness /'sliː.pɪŋ ,sɪk.nəs/ 1	stomach /'stʌm.ək/ 2, 3
sad /sæd/ 51	slice /slaɪs/ 37, 56	stools /stuːlz/ 4, 20
safety precaution /'seɪf.ti prɪ,kəʊ.ʃən/ 13	slide /slaɪd/ 59, 60	stream /stri:m/ 33
safety questionnaire /'seɪf.ti ,kwes.tʃə'neə/ 38	small bowel /,smɔ:l 'bəʊ.əl/ 3	stress /stres/ 25, 26
scab /skæb/ 31	small intestine /,smɔ:l ɪn'tes.tɪn/ 3	struck off /,strʌk 'ɒf/ 45
scales /skeɪlz/ 31	smear test /'smɪə ,test/ 43	structured /'strʌk.tʃəd/ 58
scanner table /'skæn.ə ,teɪ.bl/ 38	smell /smel/ 4	student nurse /,stjuː.dənt 'nɜ:s/ 7
scan documents /,skæn 'dɒk.ju.mənts/ 10	smoke heavily /,sməʊk 'hev.ɪ.li/ 30	Student Selected Module (SSM) /,stjuː.dənt sɪ'lek.tɪd 'mɒd.juːl/ 11
scar /skaː/ 31	social and personal history /,səʊ.ʃəl ənd ,pɜː.sənəl 'hɪs.tər.i/ 47, 48	study /'stʌd.i/ 57
scarlet fever /,skaɪ.lət 'fiː.və/ 17	social worker /'səʊ.ʃəl ,wɜː.kə/ 8	study group /'stʌd.i ,gru:p/ 46
scenario /sɪ'nɑː.ri.əʊ/ 13	solitary /'sɒl.ɪ.tri/ 18	stylus /'stɑɪ.ləs/ 39
scratch /skrætʃ/ 32	some /sʌm/ 55	subject /'sʌb.dʒekt/ 46, 58
screen for /'skri:n fɔː/ 39	sore /sɔː/ 15, 32, 50	substance abuse /'sʌb.stənts ə,bjuːs/ 25
screening /'skriː.nɪŋ/ 43	sores /sɔːz/ 32	sucker /'sʌk.ə/ 41
screening test /'skriː.nɪŋ ,test/ 43	space-occupying lesion /,speɪs ,ɒk.ju.paɪ.ɪŋ 'liː.ʒən/ 28	suggest /sə'dʒest/ 57
scrub up /,skrʌb 'ʌp/ 41	spasticity /spæs'ɪtɪs.ɪ.ti/ 27	suicide /'suː.ɪ.sɑɪd/ 25
secondaries /'sek.ən.drɪz/ 28	specialist doctor /,speʃ.əl.ɪst 'dɒk.tə/ 5	summary /'sʌm.ər.i/ 58
secrete /sɪ'kriːt/ 18	specialist hospital /'spɛʃ.əl.ɪst ,hɒs.pɪ.təl/ 9	superficial (injury) /,suː.pə'fɪʃ.əl/ 32
secretion /sɪ'kriː.ʃən/ 18	specialist registrar (SpR) /,speʃ.əl.ɪst 'redʒ.ɪstrɑː/ 6	support worker /sə'pɔːt ,wɜː.kə/ 7
segment /'seg.mənt/ 56	specialist registration /'speʃ.əl.ɪst redʒ.ɪ.streɪ.ʃən/ 13	surgeon /'sɜː.dʒən/ 5
seizure /'siː.ʒə/ 26	specialization /,speʃ.əl.ə'zeɪ.ʃən/ 7	surgery (place) /'sɜː.dʒər.i/ 10
senile dementia /,siː.naɪl dɪ'men.tʃə/ 25	specialize /'speʃ.əl.aɪz/ 5	surgery (branch of medicine) /'sɜː.dʒər.i/ 5, 54
senior house officer (SHO) /,siː.ni.ə 'həʊs ,ɒf.ɪ.sə/ 6, 12		surgery (when GPs see patients) /'sɜː.dʒər.i/ 10
senior lecturer /,siː.ni.ə 'lek.tʃər.ə/ 12		surgical gloves /'sɜː.dʒɪ.kəl ,ɡlʌvz/ 41

surgical gown /sɜː.dʒɪ.kəl 'gaʊn/ 41	tingling /'tɪŋ.ɡlɪŋ/ 26, 49	upper limb /,ʌp.ə 'lɪm/ 2
Surgical High Dependency Unit (HDU) /,sɜː.dʒɪ.kəl ,haɪ dɪ'pen.dʒənt.sɪ ,juː.nɪt/ 9	tired /taɪəd/ 14	upper respiratory tract infection (URTI) /,ʌp.ə rɪ,spɪr.ə.trɪ ,træktɪn'fek.ʃən/ 30
surgical instruments /'sɜː.dʒɪ.kəl 'ɪn.strə.mənts/ 41	tiredness /'taɪəd.nəs/ 14	ureter /'juə.rətəʃ/ 3
surgical mask /,sɜː.dʒɪ.kəl 'mɑːsk/ 41	toilet /'tɔɪ.lət/ 20	urethra /'juə'riː.θrə/ 3
surrogate mother /,sʌr.ə.gət 'mʌð.əʃ/ 45	tolerate /'tɒl.ə'reɪt/ 54	urgency /'ɜː.dʒənt.sɪ/ 33
survival /sə'vaɪ.vəl/ 44	topical mydriatic solution /,tɒp.ɪ.kəl mɪdri'æt.ɪk sə,lʊː.ʃən/ 34	urinalysis /'juə.rɪn'æl.ə.sɪs/ 33
suture /'suː.tʃəʃ/ 7, 41	touch /tʌtʃ/ 4	urinary incontinence /,juə.rɪ.nən'tɪ.ɪn'kɒn.tɪ.nənts/ 26, 33
Sw in Virus TM 35	tourniquet /'tuə.nɪ.keɪ/ 34	urine /'juə.rɪn/ 4
swab /swʌb/ 35, 41	trace /treɪs/ 33	vaccination /,væk.sɪ'nei.ʃən/ 43
swallow /'swɒl.əʊ/ 4, 36	tracing /treɪsɪŋ/ 39	vagina /və'dʒaɪ.nə/ 21
sweat /swet/ 4	training /'treɪ.nɪŋ/ 6	variable /'veə.rɪ.ə.bl/ 46, 55
sweating /swetɪŋ/ 24	transducer /,træns'djuːsəʃ/ 38	venipuncture /'venɪpʌŋk.tʃəʃ/ 34
swelling /swelɪŋ/ 22, 28	transfer to /træns'fɜː tuː/ 36	vertex presentation /'vɜː.teks prez.ən'teɪ.ʃən/ 29
symmetrical /sɪ'met.rɪ.kəl/ 15	transfixed /træns'fɪkst/ 41	vibration sense /vaɪ'breɪ.ʃən ,sents/ 15
symptom control /,sɪmp.təm kən'trəʊl/ 54	transmission /trænz'mɪʃ.ən/ 24	visual acuity /,vɪʒ.u.əl ə'kjuː.ə.ti/ 26
symptoms /sɪmp.təmz/ 14, 33, 51	transplant surgery /'trænsplɑːnt ,sɜː.dʒərɪ/ 45	vocal resonance /,vəʊ.kəl 'rez.ən.ənts/ 30
syncopal attack /,sɪŋ.kə.pəl ə'tæk/ 26	transverse lie /,trænzvɜːs 'laɪ/ 29	vomit /'vɒm.ɪt/ 4
syncope /'sɪŋ.kə.pi/ 26	travel sickness /'træv.əl ,sɪk.nəs/ 1	waiting list /'wei.tɪŋ ,lɪst/ 9
synthesis /'sɪn.θə.sɪs/ 18	treatment /'tri:t.mənt/ 53	ward /wɔːd/ 9
systolic blood pressure (SBP) /sɪs,tɒl.ɪk 'bləd ,pref.əʃ/ 34	treatment options /'tri:t.mənt ,ɒp.ʃənz/ 53	ward clerk /,wɔːd 'klaːk/ 7
table /teɪ.bl/ 55	treble /treb.l/ 55	ward round /,wɔːd 'raʊnd/ 6
take (a breath) /teɪk/ 4, 30, 37	tremor /'trem.əʃ/ 26, 27	warning /'wɔː.nɪŋ/ 53
take (medical history) /teɪk/ 6	trend /trend/ 56	wart /wɔːt/ 31
take (messages) /teɪk/ 10	trial /traɪəl/ 46	wasting /weɪstɪŋ/ 27
take (a swallow) /teɪk/ 36	trigger /'trɪɡ.əʃ/ 18	water /'wɔː.təʃ/ 4, 33
tarry /'taːr.i/ 20	trimester /'trɪ'mes.təʃ/ ,traɪ'mes.təʃ/ 38	waterworks /'wɔː.tə.wɜːks/ 33
taste /teɪst/ 4	triple /'trɪp.l/ 55	weakness /'wiːk.nəs/ 26
teaching ward round /,tiː.tʃɪŋ 'wɔːd ,raʊnd/ 60	trouble /'trʌb.l/ 2, 4	weaning /wiːnɪŋ/ 17
teams /tiːmz/ 6	tube /tjuːb/ 36	weight /weɪt/ 14, 51
tear (n) /teəʃ/ 32	tummy /'tʌm.i/ 2	well /wel/ 1
technician /tek'nɪʃ.ən/ 8	tumour /'tjuː.məʃ/ 28	whoop /wiːz/ 30
temperature /'tem.prə.tʃəʃ/ 7, 24	turn out /tɜːn aʊt/ 49	white blood cells /,waɪt 'bləd ,selz/ 15
tenderness /'ten.də.nəs/ 20	turn up /tɜːn ʌp/ 49	whooping cough /'huːpɪŋ ,kɒf/ 17
tendon hammer /'ten.dən ,hæm.əʃ/ 27	tutor /'tjuː.təʃ/ 12, 60	widen /'waɪ.dən/ 39
tendon reflex /,ten.dən 'rɪː.fleks/ 27	twice as /twɔːs əz/ 55	widespread /,waɪd'spred/ 31
tense /tents/ 51	twofold /'tuː.fəʊld/ 55	widow /'wɪd.əʊ/ 47
terminally ill /'tɜː.mɪ.nəl.i ,ɪl/ 45	ultrasound /'ʌl.trə.saʊnd/ 38	widower /'wɪd.əʊ.əʃ/ 47
termination of pregnancy /,tɜː.mɪ.neɪ.ʃən əv 'preg.nənt.sɪ/ 29	umbilical cord /ʌm'bɪl.ɪ.kəl ,kɔːd/ 29	wife /waɪf/ 47
test /test/ 9	uncommon /ʌn'kɒm.ən/ 44	windpipe /'wɪnd.paɪp/ 3
therapist /'θer.ə.pɪst/ 42	undergraduate education /,ʌn.də.græd.ju.ət ed.ju'keɪ.ʃən/ 11	wipe off /,waɪp 'ɒf/ 38
thigh /θaɪ/ 2	unemployed /,ʌn.ɪm'plɔɪd/ 47	within normal limits /wɪ,ðɪn ,nɔː.məl 'lɪm.ɪts/ 27, 35
thigh bone /θaɪ bæʊn/ 16	unfit /ʌn'fɪt/ 1	work /wɜːk/ 5, 47
three times as /'θriː ,taɪmz əz/ 55	unhappy /ʌn'hæp.i/ 51	worn out /,wɔːn 'aʊt/ 14
threefold /'θriːfəʊld/ 55	union /'juː.ni.ən/ 16	worried /wə'rɪd/ 51
thrill /θrɪl/ 18, 23	unite /ju'naɪt/ 16	wound /wuːnd/ 32, 41
thrive /θraɪv/ 17	units per litre /,juː.nɪts pɜː 'liː.təʃ/ 35	wound up /,waʊnd 'ʌp/ 51
throat spray /'θrəʊt ,spreɪ/ 36	unremarkable /,ʌn.rɪ'mɑː.kə.bl/ 35	wrist /rɪst/ 2
tic /tɪk/ 27	unsteadiness /ʌn'sted.i.nəs/ 26	X-ray technician /,eks.reɪ tek'nɪʃ.ən/ 8
times ten to the power nine per litre /taɪmz ,ten tə ðə paʊə ,naɪn pɜː 'liː.təʃ/ 35	unwell /ʌn'wel/ 1	X-ray /'eks.reɪ/ 37
	up (results) /ʌp/ 35	Zimmer frame /'zɪm.ə ,freɪm/ 42
	upgoing /'ʌpgəʊ.ɪŋ/ 27	
	upper arm /,ʌp.ə 'ɑːm/ 2	