

Table S7.1. Presence of different prey types in 87 pellet studies across Europa. Asia and Northern Africa

Reference	Country	Latitude	Longitude	Years	Locations	n (prey items)	Percentages					
							Mammals	Birds	Amphibians	Reptiles	Insects	Invertebrates
Zahorodnyi. I., Romaniuk. L., Hnatyna. O., Pokrytiuk. L., & Dykyy. I. 2021	Oekraïne	48°11'	22°36'	2002-2020	15 locations	2506	87.07	0.279	0.00	0.359	12.29	0.00
Shao. M. & Liu. N. 2008	China	37° 26'	104° 56'	1986	Shapotou	118	100.00	0.00	0.00	0.00	0.00	0.00
Shao. M. & Liu. N. 2008	China	38° 38'	103° 05'	1989	Mingin	883	28.2	0.3	0.00	28.4	43	0.00
Shao. M. & Liu. N. 2008	China	38° 32'	104° 04'	1990	Zhangye	142	89.4	4.3	0.00	2.1	4.3	0.00
Shao. M. & Liu. N. 2008	China	39° 52'	94° 45'	1987	Anxi	267	100.00	0.00	0.00	0.00	0.00	0.00
Hátori. D., Szél. Gy. & Winkler. D. 2017	Hongarije	47°10'	19° 05'	2005	Apaj		55.23	12.79	5.81	1.16	25	0.00
Hátori. D., Szél. Gy. & Winkler. D. 2017	Hongarije	47° 08'	19° 24'	2005	Kumpeszér		68.53	0.00	5.58	1.02	24.87	0.00
Hátori. D., Szél. Gy. & Winkler. D. 2017	Hongarije	47° 02'	19° 47'	2005	Ladánybene		24.17	25	18.33	2.5	30	0.00
Kitowski. I. & Pawlega. K. 2010	Polen	50° 48'	23° 55'	1999-2000	Lublin region	3506	54.26	1.3	1.14	0.00	43.03	0.23
Abu Baker. M.A. & Yamaguchi. N. 2017	Qatar	25° 59'	51° 05'	2014-2015	Al Reem reserve	193	37.30	10.41	0.00	0.00	52.33	0.00
Charter. M., Leshem. Y., Izhaki. I., Guershom M. & Kiat. Y. 2006	Israël	23° 30'	35° 30'	2001-2003	Kibbutz Sde Eliyahu	1074	21.1	1.8	0.00	0.8	76.1	0.2
Charter. M., Leshem. Y., Izhaki. I., Guershom M. & Kiat. Y. 2006	Israël	31° 52'	34° 59'	2001-2003	Kibbutz Sha'alvim	1271	56	17.2	0.00	0.9	25.3	0.6
Sekour. M., Beddiaf. R., Souttou. K., Denys. C., Doumandji. S. & Guezoul. O. 2011	Algeria	24° 33'	9° 29'	2007-2008	Djanet	730	17.53	2.465	0.00	4.931	74.93	0.136
Alivizatos. H., Goutner. V., Athanasiadis. A. & Poirazidis. K. 2006	Greece	40° 54'	26° 07'	2002-2004	Evros Delta	2106	33.61	2.871	0.042	0.085	61.8	0.9
Romanowski. J., Altenburg. D. & Zmihorski. M. 2013	Polen	52°	21°	1995-1997	Mazovia Lowland	3090	22.04	0.65	0.19	0.00	77.09	0.03
Kayahan. A. & Tabur. M.A. 2015	Turkey	37°52'	30°57'	2012-2013	Isparta	2336	5.3	0.6	0.00	0.00	92	2.1
Chenchouni. H. 2014	Algeria	35°43'	6°40'	2008/2011	Boulhilet	471	8.067	0.636	1.273	0.00	90.02	0.00
Gotta & Pigozzi.1997. in Arcidiacono. G. 2007	Italy	45°03'	7°30'	1997	Piemonte	818	38.4	2	0.6	3.7	55.4	0.00
Nappi 2005. in Arcidiacono. G M. 2007	Italy	45°03'	7°30'	2005	Piemonte	396	26.5	0.7	0.00	0.2	49.2	0.00
Mostini & Piccolino 2002. in Arcidiacono. G M. 2007	Italy	45°03'	7°30'	2002	Piemonte	467	12.2	1	0.00	0	85.8	0.00
Galuppo & Borgo 2001. in Arcidiacono. G M. 2007	Italy	44°19'	8°23'	2001	Liguria	103	4.9	17.5	0.00	14.6	62.1	1
Fontaneto 1997. in Arcidiacono. G M. 2007	Italy	45°28'	9°50'	1997	Lombardia	14290	5.9	0.4	0.00	0.1	88.4	5
Bon et al. 2001. in Arcidiacono. G M. 2007	Italy	45°26'	12°18'	2001	Veneto	1902	10.2	1.8	0.00	0.1	86.4	1.4
Gerdol et al. 1982. in Arcidiacono. G M. 2007	Italy	46°13'	13°06'	1982	Friuli	472	83.3	4.2	0.00	0.00	12.5	0.00
Lovari 1975. in Arcidiacono. G M. 2007	Italy	43°46'	11°14'	1975	Toscana	724	2.1	0.1	0.1	0.1	95.7	1.8
Contoli et al. 1988. in Arcidiacono. G M. 2007	Italy	41°39'	12°59'	1988	Lazio	194	3.6	1	0.00	0.00	77.8	17.5
Tomassi et al. 1999. in Arcidiacono. G M. 2007	Italy	41°39'	12°59'	1999	Lazio	2905	2.7	0.9	0.1	0.9	94.4	1

Manganaro et al. 1999. in Arcidiacono. G M. 2007	Italy	41°39'	12°59'	1999	Lazio	2558	3.1	0.7	0.00	1	93.4	1.8
Contoli et al. 1988. in Arcidiacono. G M. 2007	Italy	41°39'	12°59'	1988	Lazio	1708	2.3	0.6	0.00	0.4	96	0.7
Natalini et al. 1997. in Arcidiacono. G M. 2007	Italy	41°39'	12°59'	1997	Lazio	2222	3.2	0.6	0.00	0.7	94.7	0.7
Zerunian et al. 1982. in Arcidiacono. G M. 2007	Italy	41°39'	12°59'	1982	Lazio	3420	2.7	1.1	0.00	0.5	93.5	2.2
Moschetti & Mancini 1993. in Arcidiacono. G M. 2007	Italy	41°05'	14°50'	1993	Campania	1355	1.2	2	0.00	0.7	75.5	20.6
Bux & Rizzi 2005. in Arcidiacono. G M. 2007	Italy	41°29'	15°56'	2005	Puglia	166	9.4	0	0.00	3.9	85.4	1.3
Contoli et al. 1988. in Arcidiacono. G M. 2007	Italy	39°18'	16°20'	1988	Calabria	1708	2.3	0.6	0.00	0.4	96	0.7
Massa 1981. in Arcidiacono. G M. 2007	Italy	37° 36'	14°00'	1981	Sicilia	172	42.4	2.3	0.00	2.3	52.9	0.00
Lo Verde & Massa 1988. in Arcidiacono. G M. 2007	Italy	37° 36'	14°00'	1988	Sicilia	798	16.4	1.8	0.00	3.5	78.5	3.3
Pocora. V.. Popovici. M.. Mancu. C. O. & Iorgu. I.S. 2012	Romania	26°33'	26°57'	2009	Danuba Delta	828	6.16	1.08	0.00	0.00	92.75	0.00
Laursen. J.T. 1981	Denmark	56°09'	10°12'	1981	Aarhus	8635	6.8	0.3	0.00	0.00	92.9	0.00
Libois. R. 1977	Belgium	50°40'	5°04'	1977	Landenne	1782	10.49	0.56	0.05	0.00	86.4	2.41
Kuhn. W. 1992	Germany	51°33'	7°54'	1992		6568	16.85	0.44	0	0.00	82.7	0.00
Sageder. G. 1990	Austria	47°46'	16°48'	1990	Seewinkel	2813	64.3	1.5	1.2	0.00	31.9	1
Genot. J.C. 1995	France	48°19'	7°26'	1995	Alsac-Lorraine	9181	32.44	0.9	0.59	0.03	64.5	1.54
Manez. M. 1993	Spain	40°29'N	3°44' W	1983	Spain	15993	4.09	0.48	0	0.72	92.29	2.41
Jaksic. F.M. & Marti. C.D. 1981	Spain	36°50' N	2°27' W	1983		631	1.3	0.3	1.6	0.6	96.2	0.00
Dlibes. M.. Brunet-Lecomte. P. & Manez. M. 1983	Spain	42°08' N	3°57' W	1983		4118	5	0.3	0.00	0.2	93.6	0.9
Tome. R.. Bloise. C. & Korpimäki. E. 2004	Portugal	37°42' N	7°50' W	1997-1999	São Marcos da Atubueira	1840	0.98	0.27	0.00	0.00	98.75	0.00
Tome. R.. Bloise. C. & Korpimäki. E. 2004	Portugal	37°37' N	8°09'W	1999	Cabeça da Serra	1451	1.24	0.21	0.00	0.00	98.55	0.00
Simeneov. S.D. 1983	Bulgaria	42°40'	26°19'	1983		3081	47.7	4.3	0.5	0.00	45.5	2
Murzov. V. N. & Berezovikov. N.N. 2001	Kazakhstan	47°47'	66°53'	2001		1687	62.4	7.8	6.5	0.00	23.3	0.00
Lam. E. 1987	Netherlands	52°05'	05°07'	1987		292	24.4	11.6	0.1	0.00	63.9	0.00
Šálek. M.. Riegert. J.. Křivan. V. 2010	Czech Repubic	49°40'	13°9'	2002		898	35.1	0.6	0.00	0.00	64.4	0.00
Angelici. F.. Latella. L.. Luisielli. L. & Riga. F. 1997	Greece	36°10'	27°57'	1990	Dodecanese	1068	0.19	0.09	0.00	0.28	99.44	0.00
Schmid. P. 2003	Switzerland	46°06'	07°55'	1996	Grossen Moos	2257	26.00	0.156	0.00	0	72.78	1.055
Obuch. J. & Krištin A. 2004	Egypt	29°12'	25°31'	1996-2002	Siwa	226	0.442	1.327	0.00	1.769	96.46	0.00
Obuch. J. & Krištin A. 2004	Egypt	25°42'	28°51'	1996-2002	Al Qasr	264	5.681	1.515	0.00	6.060	86.74	0.00
Obuch. J. & Krištin A. 2004	Egypt	25°28'	29°20'	1996-2002	Tineida	97	12.37	3.092	0.00	0	84.53	0.00
Obuch. J. & Krištin A. 2004	Egypt	29°48'	31°11'	1996-2002	Sakkara	293	4.436	1.365	0.00	3.754	90.44	0.00

Obuch. J. & Krištin A. 2004	Egypt	29°29'	30°46'	1996-2002	Faiyum	437	20.82	1.372	0.457	1.144	76.20	0.00
Obuch. J. & Krištin A. 2004	Syria	33° 51'	36° 32'	1996-2002	Maaloula	189	4.761	2.645	0.00	0.00	75.66	16.93
Obuch. J. & Krištin A. 2004	Syria	35° 38'	38° 46'	1996-2002	Resafa	569	0.527	0.351	0.00	5.272	93.84	0.00
Obuch. J. & Krištin A. 2004	Syria	35° 41'	39° 49'	1996-2002	Halabiyeh	473	0.422	0.634	0.00	7.188	91.54	0.211
Obuch. J. & Krištin A. 2004	Syria	35° 41'	39° 49'	1996-2002	Zalabiyeh	157	7.006	0.636	0.636	2.547	86.62	2.547
Obuch. J. & Krištin A. 2004	Syria	35° 39'	40° 44'	1996-2002	Tell Sheikh Hamad	150	18	2	0.00	0.00	80	0.00
Obuch. J. & Krištin A. 2004	Syria	35° 39'	40° 44'	1996-2002	Tell Sheikh Hamad	164	14.02	4.268	0.00	0.00	75.60	6.097
Obuch. J. & Krištin A. 2004	Syria	35° 38'	40° 42'	1996-2002	As Suwar	236	9.322	1.694	0.00	4.237	75.42	9.322
Obuch. J. & Krištin A. 2004	Syria	35° 01'	40° 40'	1996-2002	Qal at Rabah	128	6.25	1.562	0.00	2.343	89.06	0.781
Obuch. J. & Krištin A. 2004	Syria	34° 45'	40° 44'	1996-2002	Dura Europos	117	25.64	2.564	0.854	0.00	69.23	1.709
Obuch. J. & Krištin A. 2004	Syria	34° 33'	40° 54'	1996-2002	Mari	85	22.35	12.94	8.235	0.00	56.47	0.00
Obuch. J. & Krištin A. 2004	Syria	35° 04'	39° 04'	1996-2002	Qasr al Hayr	294	2.040	3.401	0.340	2.380	88.77	3.061
Obuch. J. & Krištin A. 2004	Syria	32° 40'	36° 40'	1996-2002	Rashid	138	6.521	8.695	0.724	5.797	71.73	6.521
Obuch. J. & Krištin A. 2004	Iran	36° 16'	60° 39'	1996-2002	Robat Sharwaf	83	10.84	10.84	0.00	13.25	63.85	1.204
Obuch. J. & Krištin A. 2004	Iran	33° 30'	57° 38'	1996-2002	Robat-e-Chah Gonbad	167	16.76	5.988	0.00	15.56	61.07	0.598
Obuch. J. & Krištin A. 2004	Iran	33° 25'	56° 48'	1996-2002	Esfahk	38	15.78	2.631	0.00	10.52	65.78	5.263
Obuch. J. & Krištin A. 2004	Iran	32° 43'	55° 22'	1996-2002	Shah Abbasi	290	11.72	1.724	0.00	4.827	78.62	3.103
Obuch. J. & Krištin A. 2004	Iran	33° 46'	51° 49'	1996-2002	Jafar Abad	166	14.45	3.614	0.602	4.819	75.90	0.602
Obuch. J. & Krištin A. 2004	Iran	33° 59'	51° 17'	1996-2002	Kashan	140	6.428	0.714	0.00	2.142	88.57	2.142
Obuch. J. & Krištin A. 2004	Iran	33° 31'	51° 54'	1996-2002	Natanz	104	7.692	1.923	0.00	0.961	87.5	1.923
Obuch. J. & Krištin A. 2004	Iran	33° 27'	52° 02'	1996-2002	Espidan	15	6.666	40	0.00	0.00	53.33	0.00
Obuch. J. & Krištin A. 2004	Iran	32°52'	53° 05'	1996-2002	Nain	80	58.75	28.75	0.00	2.5	10	0.00
Obuch. J. & Krištin A. 2004	Iran	31° 49'	54° 21'	1996-2002	Yazd	85	7.058	0	0.00	5.882	85.88	1.176
Obuch. J. & Krištin A. 2004	Iran	31° 49'	54° 21'	1996-2002	Yazd	146	5.479	1.369	0.00	18.49	72.60	2.054

[illegible]