# Corrections (4/25/2018) Asteroids: Astronomical and Geological Bodies QB651.B86 2017

## Page xiii:

2nd paragraph: However, scientists and the general public generally ...

# Page xix:

1<sup>st</sup> full paragraph: RIS4E should be RIS<sup>4</sup>E

# Page 6:

 $2^{nd}$  full paragraph: The emissivity ( $\epsilon$ ) ... [space between emissivity and ( $\epsilon$ )]

# Page 7:

1<sup>st</sup> full paragraph: The exceptions are dark near- Earth asteroids, ...

# Page 9:

Last paragraph: However, as the size of the lens increases ..

# Page 10:

 $1^{st}$  paragraph: ... to the same point. Reflecting telescopes ...  $2^{nd}$  paragraph: However, unless corrected for, ...

# Page 12:

1<sup>st</sup> full paragraph: A fixing agent is then used to removed ... Last paragraph: ... using a series of positively charged electrodes ...

# Page 15:

Last paragraph: ... which results in less distorted images.

# Page 19:

 $2^{nd}$  paragraph,  $3^{rd}$  to last line: ... is the reference magnitude,

# Page 21:

1<sup>st</sup> full paragraph: However, when observing astronomical objects, ...

# Page 22:

3<sup>rd</sup> to last paragraph: However, because asteroids orbit so far from the Sun, ...

# Page 23:

Period after Equation 1.22.

#### **Page 25:** Period after Equation 1.25.

Period after Equation 1.27.

#### Page 26:

Period after Equation 1.28. Period after Equation 1.29.

# Page 28:

Question 7 : +17

**Page 30.** Period after Equation 2.2

Page 34:

Period after Equation 2.7.

**Page 36:** 1<sup>st</sup> paragraph: ... contrary to the depiction ...

# Page 39:

1<sup>st</sup> full paragraph: Kirkwood gaps can be used to used to break up  $2^{nd}$  full paragraph: ... (5:2 resonance) ...  $2^{nd}$  full paragraph: ... (2:1 resonance) ...

# Page 45:

Figure 2.5 caption: The body has prograde rotation. ButHowever, due to thermal inertia, ...

# Page 47:

 $2^{nd}$  full paragraph: ... to slow down- (e.g., Emery et al., 2015).

#### Page 50:

1<sup>st</sup> full paragraph: However, after Uranus' ...

## Page 51:

1<sup>st</sup> paragraph: However, for an unknown ...  $2^{nd}$  paragraph: However, his ~20 observations of ...

# Page 52:

 $3^{rd}$  paragraph: ... about possible names for ...

#### Page 54:

1<sup>st</sup> paragraph: However, as more fainter ...

#### Page 60:

Table 2.8:trans-Neptunian not-in a 2:3 resonancemythological names associated with the underworld

Table 2.8:

trans-Neptunian not in a 2:3 resonance mythological names associated with creation  $2^{nd}$  full paragraph: ... object [(617) Patroclus] ... [space between object and [(617)]

## Page 64:

Question 1) a) An asteroid has a semi- major axis of 3.2 AU?. Question 3) ... with Jupiter?.

## Page 68:

1<sup>st</sup> full paragraph: Meteorites are identified as either falls <del>ofor</del> finds. Last paragraph: An iron dagger blade found ... Last paragraph: ... tomb was <del>found</del>-determined to be ...

## Page 69:

1<sup>st</sup> paragraph: ... (~161 km) away. A ... (add space between away. and A)

## Page 72:

1<sup>st</sup> paragraph: Many different minerals appear differently when viewed using polarized and polarized light (Nesse, 2012).

## Page 74:

1<sup>st</sup> paragraph: However, because of this Antiquities Act, a ...

# Page 75:

1<sup>st</sup> paragraph: ... approximately ~5000 known minerals ...

# Page 78:

 $3^{rd}$  paragraph: ... saponite [Ca<sub>0.1</sub>.... (space between saponite and [)

# Page 79: 1<sup>st</sup> paragraph:

1<sup>st</sup> paragraph: ... more resistant to the etching the than kamacite ...

#### Page 80:

2<sup>nd</sup> full paragraph: ... and sylvite (KCl), but ... Last paragraph: Carboxylic acids <del>and</del> (Martins, 2011) ...

#### Page 81:

 $1^{st}$  paragraph: ... (e.g., ElisaElsila et al., 2005).  $2^{nd}$  to last paragraph: ... using more elaborate models have the roughly the ...

#### Page 83:

1<sup>st</sup> paragraph: AOAs are fine-grained irregularly-shaped ...

#### Page 85:

1<sup>st</sup> full paragraph: ... for forming chondrules are is through rapid ...

#### Page 86:

Last paragraph: The term "subgroup"...

## Page 88:

Last paragraph: An isotopic standard is also measured with known isotopic ratios ...

## Page 90:

Last paragraph: ... before our Sun formed and isare durable ...

## Page 92:

1<sup>st</sup> full paragraph: ... to fall to Earth<del>;</del>; hence, they ...

## Page 104:

2<sup>nd</sup> to last paragraph: The name "ataxite" ... 2<sup>nd</sup> to last paragraph: The name "octahedrites" ...

#### Page 108:

3<sup>rd</sup> paragraph: ... near Coloma, California- were ...

#### Page 111:

2<sup>nd</sup> full paragraph: Radiogenic isotopes are those that are produced during ...

#### Page 115:

1<sup>st</sup> full paragraph: ... in these minerals since it because Rb can replace ...

#### Page 116:

2<sup>nd</sup> full paragraph: Zircons also contain high-relatively high concentrations ...

#### Page 118:

Figure 3.19 caption: ... (MWSD) is a measured of the ...

#### Page 119:

 $2^{nd}$  paragraph: ... is the total decay constant, and  ${}^{40}Ar_0$  is the ...  $2^{nd}$  paragraph: The isochon equation is

#### Page 120:

1<sup>st</sup> full paragraph: (in order of easiest to hardest to reset by shock heating due to impact)

#### Page 122:

Figure 3.20 caption: ... (MWSD) is a measured of the ...

#### Page 124:

Last paragraph: ... the water-ice content ...

#### Page 125:

2<sup>nd</sup> paragraph: If core formation takes place ...

## Page 128:

1<sup>st</sup> full paragraph: Drift due to the Yarkovsky effect <del>drift</del> is much ... Last paragraph: However, when a meteorite lands on Earth, ...

## Page 130:

2<sup>nd</sup> full paragraph: -Over 80 meteorites have been identified as being from Mars. (Paired samples are counted as one meteorite.)

## Page 131:

Question 3: Why are iron meteorites the commonestmost common type ...

## Page 132:

Question 8: ... beginning of the Solar System's history?

## Page 133:

4<sup>th</sup> paragraph: However, for a reflectance spectrum measured out ...

## Page 134:

Figure 4.2 caption: Note the thermal tail longward of 2  $\mu$ m. 1<sup>st</sup> paragraph: However, for telescopes on the surface of the Earth, ...

#### Page 135:

 $2^{nd}$  full paragraph: Charge-transfer transitions are due to the movement of electrons from one ion to another, which transfers charge.

#### Page 136:

 $2^{nd}$  full paragraph: The most prominent absorption bands in the visible and near-infrared are primarily due to transitions due to transition metals in different minerals.

Last paragraph: However, in a crystal structure, ...

#### Page 139:

1<sup>st</sup> full paragraph: .... by a material (e.g., Clark, 1999) according to Beer's law where ....

#### Page 141:

1<sup>st</sup> paragraph: However, as expected, the ...

#### Page 143:

1<sup>st</sup> paragraph: This reflectance term is the pretty much the ... 1<sup>st</sup> full paragraph: However, for simplicity, ...

#### Page 145:

Last full paragraph: ... as  $Fe^{2+}$  substitutes for  $Mg^{2+}$ .

#### Page 149:

1st paragraph: ... and an absorption band at ~1.9– 2.0  $\mu$ m ... 1<sup>st</sup> full paragraph: ... transition <del>in</del> in phyllosilicates.

# Page 156:

1<sup>st</sup> full paragraph: Originally, micrometeorite impacts were proposed to produce these nanophase iron particles.

## Page 157:

1<sup>st</sup> full paragraph: ... formulas for determinedetermining the pyroxene chemistry ...

# Page 161:

Example 4.3: Last equation should be  $ol/(ol+px)(\pm 0.03) = (0.242 \times 0.80) + 0.728 = 0.92.$  (4.39) Last sentence of Example 4.3: ... ol/ (ol + px) ratio will be  $0.92\pm 0.03$ .

## Page 163:

1<sup>st</sup> full paragraph: ... over a wide range of wavelengths have been ...

## Page 165:

 $1^{st}$  full paragraph: L- types had spectra with a very strong UV feature-and, a flat reflectance past 0.75 µm, and appear to ...

#### Page 166:

Last paragraph: The commonestmost common asteroids in the ...

#### Page 170:

1<sup>st</sup> paragraph: ... that asteroid-sized impacts on ... 1<sup>st</sup> paragraph: ... H-chondrite Portales Valley meteorite ...

#### Page 171:

1<sup>st</sup> paragraph: The commonestmost common asteroids in the outer main belt ...

#### Page 176:

Last paragraph: ... Cybele has a semi-major axis ...

#### Page 178:

2<sup>nd</sup> full paragraph: However, since Jupiter Trojan D-types ...

#### Page 180:

1<sup>st</sup> full paragraph: The Band II for an R- type is narrower than a Q- type's band ...

#### Page 182:

1<sup>st</sup> paragraph: ... which has also been also seen in the spectra of HEDs ...

#### Page 184:

Question 5) ... spectrum of a phyllosilicateCM chondrite change ...

## Page 185:

 $1^{st}$  paragraph: Only a relatively few asteroids ...  $2^{nd}$  paragraph: The common st common and direct way to ...

## Page 188:

 $1^{st}$  paragraph: ... the temperature is assumed to be 0 Kelvin and that there is no thermal emission on the night side.

## Page 189:

Equation 5.15 should be:

$$T_{ss} = \sqrt[4]{\frac{[1-(0.393)(0.20)](1366)}{(0.756)(0.9)(5.67 \times 10^{-8})(2.5)^2}} K = 269 K.$$
(5.15)

## Page 190:

1<sup>st</sup> paragraph: ... slowly, is observed at a small phase angle, ...

## Page 191:

Last full paragraph: Diameters calculated from IRAS data varied from diameters calculated from occultations hadwith a root-mean-square (RMS) fractional difference ...

#### Page 192:

1<sup>st</sup> paragraph: ... (meaning "light" in Japanese) ...

#### Page 195:

Table 5.2: (243) Ida2.8620.04560.0364Equation 5.25 should be:

$$na_{p} = \left(\frac{74.1^{o}}{yr}\right) \left(\frac{2\pi}{360^{o}}\right) \left(\frac{yr}{31540000\,s}\right) (2.869\,AU)$$

$$\left(\frac{14960000000\,m}{AU}\right) = 17590\,m/s.$$
(5.25)

## Page 199:

 $2^{nd}$  full paragraph: ... slopes of Koronis members tends to increase ... Last paragraph: The Eos family is a large outer main-belt family composed primarily of K-types.

#### Page 200:

 $2^{nd}$  full paragraph: ... and foundsaw that this age ...

# Page 201:

1<sup>st</sup> full paragraph: However, if the period does not repeat, ...

# Page 203:

Last paragraph: SoTherefore, any change in the magnitude ...

## Page 204:

Period after Equation 5.31.

# Page 205:

Last paragraph: ... was dubbed a "Slivan state" ...

## Page 206:

First full paragraph: Radar can be used determining to determine shapes and spin state, finding moons, doing astrometry, and estimatingestimate metal contents. Last paragraph: Since the radar waves travel at ...

## Page 208:

 $1^{st}$  full paragraph: ... are shifted towards shorter wavelengths (blueshifted) and if part of the body is moving away from you, the radio waves are shifted towards longer wavelengths.

## Page 209:

1<sup>st</sup> full paragraph: ... Pluto (Charon, Nix, Hydra, Kerberos, HydraStyx).

# Page 210:

 $1^{st}$  paragraph: ... of asteroids, which can affect the positions of ...  $2^{nd}$  full paragraph: The second most precise technique issues the orbit of thea moon ...

# Page 211:

Period after Equation 5.34.

# Page 212:

 $2^{nd}$  paragraph: ... different taxonomic classes varied varies with heliocentric distance.  $3^{rd}$  paragraph: However, to plot the "true" distribution ...

# Page 213:

 $1^{st}$  full paragraph: ... which tend to have the highest albedos, have the largest diameters, and/or are the closest to Earth.

1<sup>st</sup> full paragraph: ... that that-S-complex objects ...

# Page 215:

Last paragraph: Saturn is also migrating too.

Last paragraph: The Grand Tack was proposed to solve the "Mars problem" where computer simulations in forming planets at Mars-like distances from the Sun that are too massive compared to Mars produces too massive planets (e.g., Raymond et al., 2009). Last paragraph: ... while the Nice model occurs 500 Ma later.

#### Page 216:

Question 1) One body is the parent body of the aubrites while the other is the parent body of the CM chondrites?

## Page 224:

Last paragraph: Shoemaker-Levy 9 passed within the Jupiter's Roche limit, ...

## Page 225:

 $1^{st}$  paragraph: ... break apart, of Jupiter.  $2^{nd}$  full paragraph: Alan Hale and Thomas Bopp (1949-2018) discovered ...

# Page 226:

4<sup>th</sup> paragraph: ... and <del>an</del> aluminum foil ...

## Page 228:

 $2^{nd}$  paragraph: ... in the plume in included H<sub>2</sub>O, ...

## Page 233:

1<sup>st</sup> paragraph: ... Edgeworth had proposed that in 1943 a large number ... 1<sup>st</sup> paragraph: ... Solar System that sometimes travel ...

## Page 240:

1<sup>st</sup> full paragraph: However, other regions on Pluto ...

# Page 244:

Last full paragraph: However, because the mass of Vanth ...

# Page 246:

3<sup>rd</sup> full paragraph: ... however, in the near-infrared ...

#### Page 248:

 $1^{st}$  full paragraph: ... sky to be determined.

#### Page 249 :

1st paragraph: ... temperatures atof ~70 K ...

#### Page 251:

2<sup>nd</sup> paragraph : and an aphelion distance greater ... 2<sup>nd</sup> paragraph: ... 1.3 AU. Amors can ... (space between 1.3 AU. and Amors) 3<sup>rd</sup> paragraph: "Apohele" is the Hawaiian word for "orbit" ...

#### Page 252:

1<sup>st</sup> paragraph: ... due, presumably, to thermally ...
1<sup>st</sup> full paragraph: However, in the 1990s, David Morrison ...
2<sup>nd</sup> full paragraph: ... and they-were joined by Carolyn Shoemaker ...
3<sup>rd</sup> full paragraph: ... Kitt Peak, Arizona, which was founded in 1980 ...

#### Page 253:

2<sup>nd</sup> paragraph: As of today, LINEAR hadhas discovered

#### Page 255:

1<sup>st</sup> paragraph: Therefore, for the same size object, an ... Last paragraph: ... three stages of crater formation (Melosh, 1989; French, 1998). They are : the contact/ compression stage, ...

#### Page 261:

 $1^{st}$  paragraph: there is are always more smaller craters than ...  $4^{th}$  full paragraph: ... or have reached equilibrium.

#### Page 262:

1<sup>st</sup> paragraph: The equation is not valid for ages greater than ... 1<sup>st</sup> full paragraph: However, the impacting flux on the Moon may ...

#### Page 270:

1<sup>st</sup> full paragraph: However, if the probability of the impact is ...

#### Page 271:

 $1^{st}$  full paragraph: Aa nuclear standoff explosion also poses ... Question 3) What will be the kinetic energy of a C-complex asteroid with an H magnitude of 16.0 and an impact velocity of 17 km/s?

#### Page 273:

 $2^{nd}$  paragraph: ... as it flies by the bodyit.

 $2^{nd}$  paragraph: A sample return mission returns samples of the surface collects fragments of the body to bring back to Earth.

#### Page 277:

1<sup>st</sup> paragraph: ... the discoverer of Jupiter's moons ... 1<sup>st</sup> paragraph: ... geological bodies due to the observed surface features.

#### Page 280:

Last paragraph: ... are named after people who were part of the ...

#### Page 283:

1<sup>st</sup> paragraph: ... seismic waves from being easily transmitted, ... Last paragraph: Eros hadhas a density ...

#### Page 285:

Last full paragraph: ... flux. However, the XGRS was not able to detect ...

#### Page 289:

Last full paragraph: ... from 0.750.85 to 2.1  $\mu$ m ...

# Page 290:

3<sup>rd</sup> paragraph: The only exception is the large, flat region, which is called <u>Muse-CMUSES-C</u> Regio ...

Last paragraph: ... however, for craters less than 100 meters, ...

## Page 291:

2<sup>nd</sup> full paragraph: However, during these two encounters, ...

3<sup>rd</sup> full paragraph: ... interpreted as indicating that found that the body became a rubble pile ...

## Page 292 :

Last full paragraph: ... the "all-seeing eye" ...

Page 320: ElisaElsila, J. E., ...

**Page 362:** meteor shower, 107<del>, 107</del>