

Main Index Entry	Sub-index entries & Actions
Absorption lines	Change 176 to 177 Add sub-topic oscillator strength, 22, 271
Adaptive optics	Add page 235 to Kolmogorov spectrum
Aerosol	Change pages 98-101 to 98-99 Klett inversion – change 104-109 to 104-105 Optical properties – replace 133, 146, 163, 166, 178 with 138–236 Scattering ratio – replace 143 with 145
Angular momentum	Add page 65, change 275-278 to 275-279, replace 285, 297-298 with 284-298
Anharmonic oscillator	Change 296 to 292-296
Astronomical applications	Add 40-41, 261
Atmosphere	1976 standard atmosphere - Change 89-91 to 90-91; delete 171 Boundary layer – add page 206 Density – add 89 Density -> Fluctuations – add 83 Density -> Perturbations – delete 87, 89, add 83-86 and 300 Hydrostatic equilibrium – change 95-97 to 94-97 Long-term changes – change 233 to 233-234 Mesosphere (MLT) - add 206 Metal layer – add 234 Minor species – change 99-101 to 99, 121-123 Molecules - add 106, 111-114, 126-130, 140-144 Optical properties – change 109-113 to 109-110, 114, change 168 to 168-172 Pressure – add 125, change 299 to 299-300 -> Fluctuations – change 4 to 4-5 Stratosphere – change 160-163 to 160-166 -> Ozone – delete 94-101, add 94, 98, 101, change 126-129 to 126-131 Temperature – change 38 to 38-44, add 67-82, 87, 92 -> Structure – change 94 to 95; -> Thermal energy – add 300 -> Variations - add 235 Thermal energy – delete entry completely (redundant) Troposphere – change 160-199 to 160-200 Turbopause – change 94 to 94-95 Turbulence – add 2, change 40 to 40-41, change 194-199 to 195-199 Wind - add 98-102
Atoms	Add 21-25, 31-40 Absorption and scattering – change 17-47 to 17-46, add 12-14, 98, 122, 126-134 Coulomb forces – remove -276

	Energy levels – add 19, change 209-213 to 211-212 -> Degeneracy – delete 21 & 275, add 23, 61, 76-77, 274-276; -> hyperfine interactions – change 24 to 24-25; hyperfine splitting -> electric quadrupole interaction – delete 287, add 270, 282; -> magnetic quadrupole interaction – delete 287, add 270, 282 Ground state – change 39-48 to 39-47, 183-186 to 184-186, add 284-299 Orbitals – change 277-291 to 278-291; -> angular momentum – change 278-298 to 275-294; -> spin-orbit interaction – change 278-296 to 275-296, add 29-38 Quantum numbers – change 268-298 to 268-277 and 292-298 Transitions null effect – change 32-36 to 33 Zeeman splitting – change 26-30 to 25-30
Attenuation	Change 134 to 133-134, 157-158 to 157-159, 212-232 to 213-232, add 97; -> coefficient – add 219, 232
Background signal	Add 129, 132, change 141-166 to 142-166, 195 to 195-197; -> subtraction – add 142
Backscatter	Change 103-134 to 119, 127-134, add 17-19, 59, 86-91
Bandpass filter	Custom – change 191 to 191-192 Daystar (<i>should be capitalized throughout</i>) change 170 to 170-171 Ideal filter – add 156-158, 163-166, 182-183, 189 Interference (IF) – add 132, 146, delete 191
Bohr radius	Add 45
Calibration	Add 165 Normalization – change 178-180 to 178-179
Clebsch-Gordan coefficients	Change 180 to 181
Cloud	Add 133-134, change 145-149 to 145-148
Collisions	Change 4-6 to 5-6, add 82-89 Dicke narrowing – add 82 Spin exchange – change 47-48 to 44-48
Coordinate systems	Change 26 to 27
Cross section	Add 48, 50-76, 88-990, 97-106, 120-132, 142-143 Absorption – change 22-24 to 24, 268-269 to 269, add 122, 125-128, 272 Cabannes – add 24 Laser-induced fluorescence (resonance) – change 209-211 to 209-223 Rayleigh-Raman – change 50-52 and 56-76 to 50-76
Degeneracy	Add 23, 61 Energy level – change 271-279 to 271-278 Add “ground state, 274” and “spin, 286”

Diattenuation	Add 309
Dimensionless x-y variables	Change 86-90 to 86-92
Doppler broadening	Change 4 to 4-6, “11, 16” to 11-16, 102 to 101-102, add 85, 91 Gaussian function – change 38 to 38-40
Doppler shift	Add 97, delete “Gaussian function, 38”
Earth’s magnetic field	Change 307 to 307-308 “Earth” should be capitalized throughout (see pages 41, 42, 45 and 94)
Einstein	A coefficients – add 14, 22-23, 36-42
Electric dipole	Change 44-46 to 41-46, 268-273 to 268-278, add 26-32 Induced – change 52–60 to 50-60, add 7-9, 21-23, 71-72 Infrared active – change 293 to 294, add 125 Interaction Hamiltonian – add 20-21 Moment – add 44 ,293-294 Operator – add 21 Polarizability – change 8-10 to 8-9, add 293-294; -> tensor – change 50-63 to 51-63 Polarization – delete “-72”, delete “components, 111” Radiation pattern - add 24, 28-29 Raman active – change 293 to 294, add 125, 157 Selection rules – add 64-65, 212, 214
Electric field	Add 9, 15, 44-45, 111, 114, 269, 309-311
Electron spin	Add 76
Electronic states	Change 61 to 60-63
Emission	Branching ratio – change 284 to 284-285 Cabannes – change 18 to 19 Change “distribution” to “angular distribution”; -> incoherent vs. coherent – change 3 to 3-4 Fluorescence – change 18-20 to 17-19, 25-40 to 24-48, add 3-4 Oscillator strength – change 272 to 272-273, add 281, 283 Spontaneous – change 13-15 to 14-15 Stimulated – delete 269 Stokes vs. anti-Stokes – change 4 to 3
Energy level diagram	Iron – change 282 to 282-283 Nitrogen and oxygen – change 289 to 291
Enthalpy	Change 299 to 299-300
Errors/uncertainty	Delete 102 Filter transmission – change 177-180 to 176-181 Inversion – change 106 to 106-107 Na wind-temperature – change 233 to 231-232 Raman vs DIAL – change 129 to 129-131 Add “ratio measurement, 158-162”
Euler angles	Change 305-306 to 305-307

Extinction coefficient	Delete 133, add 219-220 Aerosol – change 141-144 to 141-143, add 133 Sodium layer – add 219-220
Fabry-Perot étalon	Change 144-146 to 145-146, 199-202 to 200-208, delete 208-209, add 166-174, 180-181 HSRL – change 166 to 166-174
Full width at half maximum (FWHM)	Add 10-13 Cabannes spectrum – add 12
GKSS Research Center	Change 163 to 163-164, add 192
Hanle Effect	Delete 24, 25, 29-31, add 3, 24-40
Ideal gas law	Add 95, change 299-300 to 299-301
Index of refraction	Add 98 Fluctuations – add 108
Inversion	Downward vs. upward retrieval – change 107 to 106-110 Rayleigh temperature – change 150-154 to 150-155 Temperature -> balloonsonde reference change 174 to 174-175
Iron	Change 210-214 to 209-214
Kinetic theory	Kinetic regime – add 91 Two-body collision model – add 16 Viscosity – change 87-91 to 87-92
Landé g-factor	Change 45 to 45-46
Laser	Alexandrite – change 234 to 234-235 Narrowband – add 168, 236, change 209 to 209-212 Nd:YAG – change 128 to 128-129, add 276; -> tunable – add 145 Nitrogen pulsed UV – delete <i>see</i> , add 123 Ruby -> energy levels – add 276
Laser guide star	Change 264 to 261-266, add 236 “three devils” – change 44-48 to 44-47
Laser induced fluorescence (LIF/LIFΣ)	Change 1-3 to 1-5, add 13-15, 18-20, 27-28, 37-40, 140, 209-236, change 264 to 264-265, delete 210
Lidar	Aerosol – change 107-110 to 103-111; -> aerosol-to-molecular ratio – add 140 Broadband – add 139-143 Coherent – change 194, 196-199 to 194-199; -> spatial coherence – add 196-198 DIAL – change 121-122 and 126-131 to 121-131; -> O ₃ – add 128 Differential absorption – add “ <i>see lidar -> DIAL</i> ” Incoherent – change 194 to 194-200, add 82 Iron – change 209 to 209-214; -> Boltzmann – add 209

	Lidar equation – change “Stokes vector, 117” to “Polarization, 116-117”; -> with receiver filter – change 169 to 170-171 Mie – add 103-110 Narrowband – add 101-102 Ozone DIAL – change 126, 128 to “see lidar -> DIAL -> O₃” Polarization – add 98; -> diattenuation – change 116-119 to 116-121 Raman – change 142-144 to 138-144; -> rotational – change 160-166 to 150-166; -> vibrational – delete 100, add 67-69, 72-82, 98, 101 Rayleigh – change 100 to 100-101, 151-152 to 150-155 Rayleigh-Mie – change 103-110 to 103-111; -> Edge filter – add 200-203, 206-209
Lineshape	Function – add 23 Add Rayleigh, 86-91
Maxwellian speed distribution	Add 11, 14-15
Molecular	Ensemble – add 50-52, 56-72 Gas -> isotropic average polarizability – change 56-60 to 55-62; -> model – change 85-88 to 85-92; -> thermodynamics – change 301 to 299-301; -> viscosity – add 87-92, 188 Vibration – add 121, 293, 296
Molecules	As spherical particles – add 106 Diatomic – add 86-89; -> wave function – add 67, 287-288 Eigenstates – change 60 to 61, add 88 Energy -> rotational – change 292-293 to 291-293, 296 to 291-296; -> vibrational – add 291-296 Linear – add 50-92 Nitrogen – change 76-89 to 72-89; -> rotation states – add 62-63, 296; -> rotational constants – change 61 to 75; -> vibrational constants – change 61 to 75; -> vibrational frequency – add 75 Nonrigid rotator – add 294-296 Normal mode vibration – add 293-294, 297 Nuclear spin states parity – change 76 to 76-77, add 278-282 Orbital theory (π and σ) – change 289 to 289-291 Oxygen – change 76-89 to 72-89; -> rotational constants – change 61 to 75; -> vibrational constants – change 61 to 75 Rotational quantum numbers – add 292 Vibrating rotator model – delete 293, 295 and add 291-299 Vibrational quantum numbers – delete 295 and add 292-296
Narrowing	Dicke narrowing – add 32 Pressure – add 16
Natural linewidth	Add 38, 46
Pauli Exclusion Principle	Change 276-278 to 276-277, add 289

Photodetector	Change 130 to 129-130 Excelitas® SPCM-AQRH – change 256 to 256-257 Photomultiplier tube (PMT) – add 165, 180, 195, 225 Saturation – add 225
Placzek invariants	Change 60-65 to 60-68
Polarization	Elliptical – add 309-311 Muller matrix – add 100, change 113-116 to 113-119
Potassium	Change 184-187 to 184, 186-191 <i>D</i> lines (KD_1 , KD_2) – change 32 to 32-33, 281-202 to 278-282 Doppler-broadened linewidth – add 101, 187
Power spectrum	Density perturbations – add 236
<i>q</i> -factor (backscattering)	Change 37 to 37-40
Quantum treatment	Change 20-25 to 20-22, 25
Receiver	Spherical aberration – change 247-254 to 247-248, 254
Scattering	Aerosol and molecular – change 103 to 103-106, 107 to 107-111, delete 109 Aerosol backscattering coefficient – add 144 Brillouin – change 83 to 83-88 Cabannes – change 89-91 to 83-92, add 4, 11, 16, 19, 68-75, 138-160 Coherent – change 89 to 89-90 Depolarized – change 70-75 to 73-75, add 62 Ensemble of molecules – change 56 to 56-58, add 71, 73, 79, 83-86, 112-117 Mie – add 103-134 Multiple – add 149 Permittivity fluctuations – change 83 to 83-84 Polarization – change 25-29 to 25-33 Raman – change 74-75 to 74-82; -> anti-Stokes vibrational – add 67, 73; pure rotational (PRR) – change 75 to 73-75; add “Q-branch, 74”; Rotational-vibrational – add 78-82 Rayleigh – change 74-75 to 74-82 Resonance (LIF) – delete 36-40, add 2-3, 24-29 Spontaneous – change 89 to 83, 89-92
Schrödinger equation	Add 275, 297
Signal	Aerosol and molecular – change 138-145 to 138-149 Background noise – add 121, 132, 195, 209 Off-resonance vs. on-resonance – change 171-183 to 171-209 One channel sensitivity – change 183 to 182-183 Photocounts – change 155-166 to 155-165, 226 to 223-226, add 99; -> ratio – change 157 to 156, add 158-160

Sodium	<i>D</i> lines (NaD_1, NaD_2) – change 32 to 32-33, add 184, 278-282 Doppler-broadened linewidth – add 101 Na layer – add 264-266; -> guide star – add 264-266
Space Shuttle LITE experiment	Change 131-133 to 132-133
Tenti S6-moment model	Change 88-90 to 88-91
Thermal equilibrium	Gas dynamics – change 83 to 85 Velocity distribution – change 300 to 300-301, add 86-87
Transmitter	Change 244-247 to 244-248 Beam parameter product (BPP) – change 252-254 to 252-253 Gaussian beam – add 249, 253
Two-level system	Change 41-47 to 41-46, add 18 Hole-burning – add 44 Non-degenerate – change 43-44 to 44 Optical pumping – change 42-47 to 41-48 Rate equations – change 41 to 41-42 Repumping – change 47 to 44-48 Saturated emission – change 41 to 41-42
Vapor filters	Change 166-189 to 168-194 Atomic vapor filter (AVF) – add 145 Molecular vapor filter – add 167-168; -> iodine (IVF) -> double edge (de-IVF) – change 200-207 to 200-208; -> iodine (IVF) -> single edge (se-IVF) – change 200-207 to 200-208 Optimum vapor filter – change 181-185 to 181-194; -> potassium – change 185 to 185-191, add 208-209; -> KVF (KVF-1, KVF-2A, KVF-2B) change 206-208 to 208-209 Sodium – change 185 to 184-185 Zeeman splitting – add 225